


PRODUCT-DETAILS

CR-U 61

CR-U 61 Pluggable module LED red, 6-24VAC/DC



General Information

| | |
|-----------------------|--|
| Extended Product Type | CR-U 61 |
| Product ID | 1SVR405664R0000 |
| EAN | 4013614529122 |
| Catalog Description | CR-U 61 Pluggable module LED red, 6-24VAC/DC |
| Long Description | The CR-U 61 plug-in module is a pluggable function module for the CR-U range sockets. This module provides a diode and a red LED indication. The rated control supply voltage is 6-24 V AC / DC. |

Ordering

| | |
|------------------------|---------------|
| EAN | 4013614529122 |
| Minimum Order Quantity | 10 piece |
| Customs Tariff Number | 85480090 |

Popular Downloads

| | |
|-----------------------------------|--------------------|
| Data Sheet, Technical Information | 2CDC110004C0210_05 |
| Instructions and Manuals | 2CDC117008D0204 |
| CAD Dimensional Drawing | 2CDC001079B0201 |

Dimensions

| | |
|----------------------------|----------|
| Product Net Width | 34 mm |
| Product Net Height | 24 mm |
| Product Net Depth / Length | 9 mm |
| Product Net Weight | 0.007 kg |

Technical

| | |
|--|---|
| Function | Accessory for interface relays CR-U |
| Sub-Function | Pluggable function module for universal relay sockets |
| Sub-Function 2 | Reverse polarity protection red LED |
| Rated Control Supply Voltage (U _s) | 6 ... 24 V AC/DC |
| Output | none |
| Output Signal | none |
| Standards | CAN/CSA C22.2 No.14 IEC/EN 63000 IEC/EN 61984 UL 508 |

Environmental

| | |
|-------------|-----------------------------------|
| RoHS Status | Following EU Directive 2011/65/EU |
|-------------|-----------------------------------|

Certificates and Declarations (Document Number)

| | |
|----------------------------------|-----------------------------|
| CSA Certificate | CSA_262671_2785566 |
| cURus Certificate | cURus508_E244328 |
| Declaration of Conformity - CE | 1SVD982020-0001 |
| Declaration of Conformity - UKCA | 1SVD982020-1000 |
| EAC Certificate | EAC_RU_C-DE.ME77.B.00446-19 |
| Environmental Information | 1SAA981009-2401 |
| Instructions and Manuals | 2CDC117008D0204 |
| RoHS Information | 1SVD982020-0001 |

Container Information

| | |
|--------------------------------|---------------|
| Package Level 1 Units | bag 10 piece |
| Package Level 1 Width | 180 mm |
| Package Level 1 Depth / Length | 9 mm |
| Package Level 1 Height | 220 mm |
| Package Level 1 Gross Weight | 0.072 kg |
| Package Level 1 EAN | 4013614374449 |

Classifications

| | |
|----------------------------|--|
| Object Classification Code | K |
| ETIM 7 | EC002586 - Accessories for switching relay |
| ETIM 8 | EC002586 - Accessories/spare parts for switching relay |
| ETIM 9 | EC002586 - Accessories/spare parts for switching relay |
| eClass | V11.0 : 27371692 |
| UNSPSC | 39122331 |
| E-Number (Finland) | 2712806 |
| E-Number (Sweden) | 4005446 |

Categories

Low Voltage Products and Systems → Control Products → Electronic Relays and Controls → Interface Relays and Optocouplers

