

PRODUCT-DETAILS

M12-3E

M12-3E Connection accessory



General Information

Extended Product Type	M12-3E
Product ID	2TLA020055R0200
EAN	7350024452273
Catalog Description	M12-3E Connection accessory
Long Description	M12-3E is a M12 Y-connector for the connection of 2 DYNlink device and one light button to Pluto safety PLC with only one cable. Connector #2 is a M12-5 female connector for connection of the first circuit. Connector #3 is a M12-5 female connector for connection of the second circuit. Connector #1 is a M12-5 male connector for connection to IQs on the Pluto safety PLC.

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	8538909999
Product Main Type	M12 connection
Product Name	Connection accessory

Popular Downloads

Data Sheet, Technical Information	2TLC010001C0202
CAD Dimensional Drawing	2CDC001079B0201

Dimensions

Product Net Depth / Length	20 mm
Product Net Height	40 mm
Product Net Width	35 mm
Product Net Weight	0.02 kg

Technical

Rated Control Supply Voltage (U _s)	24 V
Suitable For	Magne 3A Magne 3B Adam DYN-Info M12-5 Adam DYN-Reset M12-5

Environmental

Degree of Protection	IP67
----------------------	------

Certificates and Declarations

Declaration of Conformity - CCC	No declaration needed
Declaration of Conformity - CE	No declaration needed
Declaration of Conformity - UKCA	No declaration needed

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.1 m
Package Level 1 Depth / Length	0.17 m
Package Level 1 Height	0.02 m
Package Level 1 Gross Weight	0.028 kg
Package Level 1 EAN	7350024452273

Classifications

eClass	V11.0 : 27060313
ETIM 7	EC002925 - Sensor actuator adapter
ETIM 8	EC002925 - Sensor actuator adapter
ETIM 9	EC001855 - Sensor-actuator patch cord
IDEA Granular Category Code (IGCC)	4659 >> Cable connector
UNSPSC	39121438
Object Classification Code	X
E-Number (Finland)	2307360
E-Number (Sweden)	3833781

Categories

Low Voltage Products and Systems → Control Products → Safety Products → Cables and Connectors

