

PRODUCT-DETAILS

# M12-C61V2

## M12-C61V2 Cable



### General Information

Extended Product Type	M12-C61V2
Product ID	2TLA020056R0600
EAN	7350024484076
Catalog Description	M12-C61V2 Cable
Long Description	M12-C61V2 is a shielded cable with a right-angled M12-5 female connector and a free end. The five conductors have a cross section of 0.34 mm <sup>2</sup> . The jacket is made of black PVC. The length of the cable is 6 meters.

### Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	8544429090
Product Main Type	M12 connection
Product Name	Cable
Status Indicator	No

### Popular Downloads

Data Sheet, Technical Information	2TLC010001C0202
CAD Dimensional Drawing	2CDC001079B0201

---

## Dimensions

---

Cable Length	6 m
Product Net Depth / Length	30 mm
Product Net Height	300 mm
Product Net Width	300 mm
Product Net Weight	0.302 kg

---

## Technical

---

Color	Jacket: Black
Connection Configuration	Device side: right-angled M12-5 female Field side: free end
Rated Control Supply Voltage (U <sub>s</sub> )	24 V
Suitable For	Eden

---

## Environmental

---

Ambient Air Temperature	-20 ... 80 °C
Degree of Protection	IP67 IP69K
Material	Jacket: PVC Pin/socket: Gold plated brass

---

## Certificates and Declarations

---

Declaration of Conformity - CCC	No declaration needed
Declaration of Conformity - CE	No declaration needed
Declaration of Conformity - UKCA	No declaration needed

---

## Container Information

---

Package Level 1 Units	1 piece
Package Level 1 Width	300 mm
Package Level 1 Depth / Length	300 mm
Package Level 1 Height	30 mm
Package Level 1 Gross Weight	0.302 kg
Package Level 1 EAN	7350024484076

---

## Classifications

---

eClass	V11.0 : 27060313
ETIM 7	EC001855 - Sensor-actuator patch cord
ETIM 8	EC001855 - Sensor-actuator patch cord
ETIM 9	EC001855 - Sensor-actuator patch cord
IDEA Granular Category Code (IGCC)	1708 >> Control cable
UNSPSC	26121603
Object Classification Code	W

---

---

## Categories

---

Low Voltage Products and Systems → Control Products → Safety Products → Cables and Connectors

