

PRODUCT-DETAILS

# M12-C612

## M12-C612 Cable



### General Information

Extended Product Type	M12-C612
Product ID	2TLA020056R2200
EAN	7350024452433
Catalog Description	M12-C612 Cable
Long Description	M12-C612 is a shielded cable with straight M12-5 male and female connectors. The five conductors have a cross section of 0.34 mm <sup>2</sup> . The shield is connected to pin 3 (0V) on the male connector. The jacket is made of black PVC. The length of the cable is 6 meters.

### Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	8544429090

### Popular Downloads

Data Sheet, Technical Information	2TLC010073L0201
Instructions and Manuals	2TLC010073L0201
Marketing Video	9AKK10103A4645 2TLC010018N0201

### Dimensions

Product Net Depth /	6 m
---------------------	-----

Length

Product Net Height	15 mm
Product Net Width	15 mm
Product Net Weight	0.302 kg

---

Technical

Suitable For

- Orion1-4-14-015-B
- Orion1-4-14-030-B
- Orion1-4-14-045-B
- Orion1-4-14-060-B
- Orion1-4-14-075-B
- Orion1-4-14-090-B
- Orion1-4-14-105-B
- Orion1-4-14-120-B
- Orion1-4-14-135-B
- Orion1-4-14-150-B
- Orion1-4-14-165-B
- Orion1-4-14-180-B
- Orion1-4-30-015-B
- Orion1-4-30-030-B
- Orion1-4-30-045-B
- Orion1-4-30-060-B
- Orion1-4-30-075-B
- Orion1-4-30-090-B
- Orion1-4-30-105-B
- Orion1-4-30-120-B
- Orion1-4-30-135-B
- Orion1-4-30-150-B
- Orion1-4-30-165-B
- Orion1-4-30-180-B
- Orion2-4-K2-050-B
- Orion2-4-K3-080-B
- Orion2-4-K4-090-B
- Orion2-4-K4-120-B
- Orion3-4-K1C-050-B
- Orion3-4-K2C-080-B
- Orion3-4-K2C-090-B
- Orion3-4-K2C-120-B
- Orion1-4-14-030-E
- Orion1-4-14-045-E
- Orion1-4-14-060-E
- Orion1-4-14-075-E
- Orion1-4-14-090-E
- Orion1-4-14-105-E
- Orion1-4-14-120-E
- Orion1-4-14-135-E
- Orion1-4-14-150-E
- Orion1-4-14-165-E
- Orion1-4-14-180-E
- Orion1-4-30-030-E
- Orion1-4-30-045-E
- Orion1-4-30-060-E
- Orion1-4-30-075-E
- Orion1-4-30-090-E
- Orion1-4-30-105-E
- Orion1-4-30-120-E
- Orion1-4-30-135-E
- Orion1-4-30-150-E
- Orion1-4-30-165-E
- Orion1-4-30-180-E
- Orion2-4-K2-050-E
- Orion2-4-K3-080-E
- Orion2-4-K4-090-E
- Orion2-4-K4-120-E
- Orion3-4-K1C-050-E
- Orion3-4-K2C-080-E
- Orion3-4-K2C-090-E
- Orion3-4-K2C-120-E
- JSHD4-1-AC
- Adam DYN-Info M12-5
- Adam DYN-Status M12-5
- Adam DYN-Reset M12-5
- Adam OSSD-Info M12-5
- Adam OSSD-Reset M12-5
- JSTD25F
- OCB-2A
- OCB-3A
- OCB-4A

---

### Certificates and Declarations

cULus Certificate	2TLC172257D0201
Declaration of Conformity - CCC	No declaration needed
Declaration of Conformity - CE	No declaration needed
Declaration of Conformity - UKCA	No declaration needed
UL Certificate	2TLC172257D0201

---

### Classifications

Object Classification Code	W
ETIM 4	EC000057 - Low voltage power cable
ETIM 5	EC000057 - Low voltage power cable
ETIM 6	EC001855 - Sensor-actuator patch cord
ETIM 7	EC001855 - Sensor-actuator patch cord
eClass	V11.0 : 27060313
UNSPSC	26121603
E-Number (Sweden)	3833782
ETIM 8	EC001855 - Sensor-actuator patch cord

---

### Categories

- Low Voltage Products and Systems → Control Products → Safety Products → Cables and Connectors
- Low Voltage Products and Systems → Control Products → Safety Products → Optical Safety Devices
- Low Voltage Products and Systems → Control Products → Safety Products → Optical Safety Devices Accessories
- Low Voltage Products and Systems → Control Products → Safety Products → Safety Sensors, Switches and Locks Accessories

