


PRODUCT-DETAILS

AF265N5R-30-22-11

AF265N5R-30-22-11 Contactor Starter



General Information

| | |
|-----------------------|-------------------------------------|
| Extended Product Type | AF265N5R-30-22-11 |
| Product ID | 1SBX308342R1122 |
| EAN | 7320500559482 |
| Catalog Description | AF265N5R-30-22-11 Contactor Starter |
| Long Description | AF265N5R-30-22-11 |

Ordering

| | |
|------------------------|----------|
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85364900 |

Popular Downloads

| | |
|-------------------------|-----------------|
| CAD Dimensional Drawing | 2CDC001079B0201 |
|-------------------------|-----------------|

Dimensions

| | |
|----------------------------|--------|
| Product Net Width | 280 mm |
| Product Net Depth / Length | 180 mm |

| | |
|--------------------|---------|
| Product Net Height | 258 mm |
| Product Net Weight | 11.6 kg |

Environmental

| | |
|-------------|--|
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
|-------------|--|

Circular Value

| | |
|---|--|
| ABB EcoSolutions | Yes |
| Circular Design Principles Recyclability Rate | Design for Closing Resource Loops - Standard EN45555 - 76.3 % |
| End of Life Instructions | 1SFC100112M0001 |
| Group Waste to Landfill Target | Non-hazardous waste is sent to a landfill, where there is no alternative option available within 100km of a facility |
| Improved Resource Efficiency for Customers | Product Efficiency - Product considered more energy-efficient compared to similar product on market or older products from the same line |
| Sustainable Material Content | Recycled Metal - 33 % |

Eco Transparency

| | |
|---|-----------------|
| Environmental Product Declaration - EPD | 1SFC100104D0201 |
|---|-----------------|

Certificates and Declarations

| | |
|--------------------------------|-----------------|
| cUL Certificate | 20121217-E36588 |
| Declaration of Conformity - CE | 2CMT2015-005439 |

Container Information

| | |
|------------------------------|---------|
| Package Level 1 Gross Weight | 13.1 kg |
|------------------------------|---------|

Classifications

| | |
|------------------------------------|--|
| Object Classification Code | Q |
| ETIM 6 | EC000066 - Power contactor, AC switching |
| ETIM 7 | EC000066 - Power contactor, AC switching |
| ETIM 8 | EC000066 - Power contactor, AC switching |
| eClass | V11.1 : 27371003 |
| UNSPSC | 39121529 |
| IDEA Granular Category Code (IGCC) | 4762 >> Nema Contactors |

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors

