

PRODUCT-DETAILS

# H81383K-S

## H81383K-S OS, IPkeypad, with display, ID, Induction loop



### General Information

Extended Product Type	H81383K-S
Product ID	2TMA130010X0037
EAN	6955891809154
Catalog Description	H81383K-S OS, IPkeypad, with display, ID, Induction loop
Long Description	ABB Welcome IP Video outdoor station, with keypad, with ID card reader, stainless steel, with induction loop

### Installation

Instructions and Manuals	2TMU170000M0048 2TMU180000M0001 2TMU190000M0023 2TMU200000M0001 2TMU200000M0036
Installation Instruction	Network technique

### Technical

Data Sheet, Technical Information	No document needed
Mounting Type	Flush Mounted
Material	Stainless steel
Color	Stainless steel

Number of Batteries	0
Screen Size	2.5 in

## Environmental

RoHS Status	Following EU Directive 2011/65/EU
RoHS Information	2TMD081215X2102
REACH Declaration	No declaration needed

## Dimensions

Product Net Width	0.029 m
Product Net Height	0.135 m
Product Net Depth / Length	0.349 m
Product Net Weight	1.385 kg

## Ordering

Minimum Order Quantity	1 piece
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	1.755 kg
Customs Tariff Number	85177000
E-Number (Finland)	2815636
Country of Origin	China (CN)

## Certificates and Declarations

Declaration of Conformity - CE	2TMD081313X0024
--------------------------------	-----------------

## Classifications

ETIM 8	EC000355 - Door station door communication
ETIM 9	EC000355 - Door station door communication
WEEE Category	6. Small IT and Telecommunication Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85177090
UNSPSC	43221525
IDEA Granular Category Code (IGCC)	6734 >> Intercom systems

## Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → Door Entry & Access Control Systems → Welcome IP → Video Outdoor Stations

