

PRODUCT-DETAILS

H81384K-S

H81384K-S OS, IPkeypad, with display, IC, Induction loop



General Information

Extended Product Type	H81384K-S
Product ID	2TMA130010X0038
EAN	6955891809161
Catalog Description	H81384K-S OS, IPkeypad, with display, IC, Induction loop
Long Description	ABB Welcome IP Video outdoor station, with keypad, with IC card reader, stainless steel, with induction loop

Installation

Instructions and Manuals	2TMU170000M0048 2TMU180000M0001 2TMU190000M0023 2TMU200000M0001 2TMU200000M0036
Installation Instruction	Network technique

Technical

Data Sheet, Technical Information	No document needed
Mounting Type	Flush Mounted
Material	Stainless steel
Color	Stainless steel

Number of Batteries	0
Screen Size	2.5 in

Environmental

RoHS Status	Following EU Directive 2011/65/EU
RoHS Information	2TMD081215X2102
REACH Declaration	No declaration needed

Dimensions

Product Net Width	0.029 m
Product Net Height	0.135 m
Product Net Depth / Length	0.349 m
Product Net Weight	1.385 kg

Ordering

Minimum Order Quantity	1 piece
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	1.755 kg
Customs Tariff Number	85177000
E-Number (Finland)	2815637
Country of Origin	China (CN)

Certificates and Declarations

Declaration of Conformity - CE	2TMD081313X0024
--------------------------------	-----------------

Classifications

ETIM 8	EC000355 - Door station door communication
ETIM 9	EC000355 - Door station door communication
WEEE Category	6. Small IT and Telecommunication Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85177090
UNSPSC	43221525
IDEA Granular Category Code (IGCC)	6734 >> Intercom systems

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → Door Entry & Access Control Systems → Welcome IP → Video Outdoor Stations

