

PRODUCT-DETAILS

TR4

TR4 Toroidal Transformer



General Information

Extended Product Type	TR4
Product ID	2CSG110100R1211
EAN	8012542020608
Catalog Description	TR4 Toroidal Transformer
Long Description	Residual current monitors (RCMs) with external transformer can detect leakage currents. Through minidip you can set sensitivity and intervention time. According to the same diameter, transformers are made in a single version for all relay sensitivity values.

Technical

Current Limit Function	FS 5
Secondary Output Connection	Screw connection
Meter Type	not openable
Model Number	Through-feed current converter

Environmental

RoHS Status	Following EU Directive 2011/65/EU
RoHS Information	9AKK106713A5628
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	0.150 m
Product Net Height	0.160 m
Product Net Depth / Length	0.050 m
Product Net Weight	0.430 kg
Inside Diameter	110 mm
Bore Diameter	240 mm

Ordering

Minimum Order Quantity	1 piece
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.5 kg
E-Number (Finland)	7037934
E-Number (Sweden)	2100369

Certificates and Declarations

Declaration of Conformity - CE	9AKK106713A5628
--------------------------------	-----------------

Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

Popular Downloads

Data Sheet, Technical Information	9AKK107046A0424
-----------------------------------	-----------------

Classifications

ETIM 8	EC002048 - Current transformer
ETIM 9	EC002048 - Current transformer
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85043121
UNSPSC	39121032
eClass	V11.0 : 27210902
IDEA Granular Category Code (IGCC)	4189 >> Torroidal Current Transformers
Object Classification Code	F

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Residual Current Devices RCDs → Residual Current Monitors, RCMs

