

PRODUCT-DETAILS

ZLS959UL ZLS959UL Terminal



General Information	
Extended Product Type	ZLS959UL
Product ID	2CCA672512R0001
EAN	7612271487201
Catalog Description	ZLS959UL Terminal
Long Description	Terminal for additional socket SMISSLINE TP PE 50 mm2 bis 95 mm2 UL max. 200A max. 1 wire

Technical	
Suitable For	Suitable for SMISSLINE TP Plug in system Addtional socket
Suitable for Product Class	Suitable for SMISSLINE TP Plug in system Addtional socket
Rated Current (In)	150 A
Model Number	Other

Environmental	
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	9AKK107991A9646
Environmental Information	9AKK108467A9561
SCIP	d35b4d1d-8d5a-498b-85e9-10286b83db9e Germany (DE)

ZLS959UL 2

Conflict Minerals Reporting Template (CMRT) 9AKK108468A3363

Dimensions	
Product Net Width	36 mm
Product Net Height	37 mm
Product Net Depth / Length	50 mm
Product Net Weight	88 g
Dimension Diagram	9AKK107492A6192

Ordering	
Minimum Order Quantity	1 piece
Package Level 1 Units	carton 1 piece
Package Level 1 Gross Weight	90 g

Certificates and Declarations	
Declaration of	9AKK107991A9646
Conformity - CE	

Installation	
Instructions and	2CCR183301B0001
Manuals	

Popular Downloads	
Data Sheet, Technical Information	9AKK107492A6192

Classifications	
ETIM 8	EC001522 - Busbar
ETIM 9	EC001522 - Busbar
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85389040
UNSPSC	39121432
eClass	V11.0 : 27370303
IDEA Granular Category Code (IGCC)	4604 >> Busbar terminal
Object Classification Code	F

ZLS959UL 3

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Modular\ DIN\ Rail\ Products\ \rightarrow\ Plug-in\ Distribution\ Systems\ \rightarrow\ Plug-in\ Distribution\ Systems\ Accessories\ \rightarrow\ Incoming\ Blocks\ and\ Terminals,\ Loose\ Accessories$

