

BALDOR • RELIANCE

Customer information packet

LPL50

.5HP, 3450RPM, 1PH, 60HZ, 3520S, DENTAL LATHE

Specifications


Frequency	60.00 Hz
Nameplate Output	.5
Number of Poles	2
Phase	1
Product Style	BUFFER
Speed	3450 rpm
Voltage	115 V

Part detail


Revision	BB
Type	AC
Mech. spec.	L35-282
Base	
Status	PRD/A
Elec. spec.	L5WG0025
Layout	L5LY0282
Eff. date	07-27-2022
CD Diagram	CD0337
Poles	02
Leads	2#18
Proprietary	False
Created date	08-08-2007

Nameplate

NP3352L			
CAT.NO.	LPL50		
HP	.5	VOLTS	115
PHASE	1	AMPS	5.4
HZ	60	RPM	3450
SER.NO			
SPEC.	L35-282-25		
BLANK			



CD0337



LINE A	LINE B
1	4

NOTES:

1. CONNECTIONS ARE SHOWN FOR CCW ROTATION FACING END OPPOSITE SHAFT EXTENSION (STD). FOR CW ROTATION, INTERCHANGE 5 AND 8 INTERNALLY.
2. OPTIONAL THERMOSTAT IS PROVIDED WHEN SPECIFIED.
3. LEAD COLORS ARE OPTIONAL. LEADS MUST ALWAYS BE NUMBERED AS SHOWN.

CD0337

REV. DESC: ADD OPTIONAL LEAD COLORS			
REV. LTR: F	BY: JLP	REVISED: 11/15/00 10:25	TDR: 0225139
CD0337		FILE: AAA00007587	REF: -
		MTL: -	

BALDOR ELECTRIC Co.

TYPE S, SV, FIX, 2 LEAD