

Eaton 35SS220RAB

Catalog Number: 35SS220RAB

Eaton commercial meter stack, Socket amperage: 225A, Amperage rating: 200A, Aluminum, Bus rating: 1200A, Test bypass, NEMA 3R, Depends on selected MCB, 2 Sockets, Five-jaw, Three-phase in, single-phase out, Ring, 120/240 Vac

General specifications

Product Name	Catalog Number
Eaton 35SS commercial meter stack	35SS220RAB
UPC	Product Length/Depth
782114055045	45 in
Product Height	Product Width
16 in	20 in
Product Weight	Warranty
130 lb	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
Compliances	Certifications
EUSERC Approved	UL Listed

Catalog Notes

Main tenant feeders can exit top, bottom, or back, If being used in outdoor application and exiting the top, mount Myer type hubs on rainproof cap. 120/240V, single-phase, three-wire systems and 208Y/120V network metering

Product specifications

Interrupt rating

Depends on selected main circuit breaker

Utility approvals

ID : Idaho Power

OR : Idaho Power

WA : Seattle City Light

AK : Anchorage Municipal Light & Power

NV : NV Energy

CA : City of Los Angeles - DWP (LADWP)

AZ : Southern California Edison

CA : Southern California Edison

CA : Pacific Gas and Electric (PG&E)

CA : Sacramento Municipal Utility District (SMUD)

AZ : Tucson Electric Power/ UniSource

AZ : Sulphur Springs Valley Electric Coop

WA : Puget Sound Energy

WA : Tacoma Public Utilities

Bus material

Aluminum

Number of jaws

Five-jaw

Enclosure

Indoor/outdoor

Phase balance

A-B

Security

Ring

Amperage Rating

200A

Socket amperage

225A

Secondary circuit breaker

EHD2_, CCV2_X, CCVH2_X, CVS2_X, CV2_X, CVH2_X

Number of sockets

2

Bypass

Test

Resources

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Drawings

Dimensional Drawing - DIM. DWG. FOR 200A. METER SOCKET/TEST BLOCK, TWO METER/1 PH and 3 PH

Specifications and datasheets

Eaton Specification Sheet - 35SS220RAB

Bus Rating

1200 A

Voltage rating

120/240 V



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)