

# Eaton MB816B200BTSG

Catalog Number: MB816B200BTSG

Eaton resi meter breaker, FTL, All-in-ones, 200 A, Aluminum, NEMA 3R, Bottom and top, 10 kAIC, #6-350 kcm CSR2200, Surface mounting, 16, Four-jaw, 1, 8, Single-phase, Ringless, Used with BR breakers, 120/240 Vac, GAPwr

## General specifications

Product Name	Catalog Number
Eaton residential meter breaker	MB816B200BTSG
UPC	Product Length/Depth
786689385392	38.5 in
Product Height	Product Width
6.5 in	14.75 in
Product Weight	Certifications
41.15 lb	UL Listed

## Product specifications

### Number of spaces

8

### Interrupt rating

10 kAIC

22 kAIC

### Phase

Single-phase

### Ground

#6-350 kcmil

### Bus material

Aluminum

### Number of jaws

Four-jaw

### Main circuit breaker

CSR2200

### Enclosure

NEMA 3R

### Security

Ringless

### Amperage Rating

200 A

### Line

#6-350 kcmil

### Mounting

Surface mounting

### Type

All-in-ones

### Feed type

Top/bottom

### Number of sockets

1

### Voltage rating

120/240V

### Number of circuits

16

## Resources

### Brochures

[Eaton Emergency Disconnect Options at a Glance](#)

### Specifications and datasheets

[Eaton Specification Sheet - MB816B200BTSG](#)

Box size

C



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)