




**HOFFMAN**

**COMPACT®**

Pendant Arm Series 2 Couplings  
Système de suspension série 2 Accouplements  
Sistema de suspensión 2 Unión-acoplamientos



901.2290.000

Rev. F © 2018 Hoffman Enclosures Inc.

PH 763 422 2211 • nVent.com/HOFFMAN




P/N 87928565

87928569




**RSPSupply - 1-888-532-2706 - <https://www.RSPSupply.com>**  
**See the product details here**

X		
$\frac{3.150}{80 \text{ mm}}$	CCS2FCLG CCS2FECLG	CCS2RBBLG
$\frac{3.228}{82 \text{ mm}}$	CCS2FC15LG CCS2FEC15LG	CCS2RBB15LG
$\frac{3.622}{92 \text{ mm}}$	CCS2STLG CCS2ESTLG	




CCS2STLG\*


CCS2ESTLG\*




CCS2FCLG




CCS2FC15LG




CCS2RBBLG



CCS2FECLG



CCS2FEC15LG










CCS2RBB15LG

\* Maximum load 66 lbs/(30 Kg)  
 Charge maximum 66 livres (30 kilogrammes)  
 Carga máxima 66 libras (30 kilogramos)


901.2290.000

# Optional Base Rotation Rotation Facultative De Fond Rotación Opcional De la Escuadra base


	CCS2FC15LG	CCS2FEC15LG	CCS2RBB15LG
(A)			
(B)			



901.2290.000



7.38-8.85 ft-lbs  
10 - 12 NM



3  
7.38-8.85 ft-lbs  
10 - 12 NM

7.38-8.85 ft-lbs  
10 - 12 NM

