

Declaration of Conformity

Issued by Manufacturer
Hoffman Enclosures, Inc.

2100 Hoffman Way, Anoka, Minnesota 55303-1745, U.S.A.

declare at our sole responsibility, that these devices are designed and constructed according to the fundamental safety and health requirements.

Enclosure Models: CR43****G*** (Bulletin MCL)
Equipment Description: Hoffman Harsh Environment AC
Enclosure Rating: NEMA / UL / cUL Type 3R, 4, 4X (Optional), 12
Enclosure Certification: UL Listed SA6453

File SA6453 Vol. 1 Sec. 13 Page 1 Issued: 1993-07-28
and Report Revised: 2010-02-11

DESCRIPTION

PRODUCT COVERED:

USL, CNL Special purpose air conditioner, Models CRXX-04AB-GXXX, -06AB-XXX, -06AB-GXXX, -0625-XXX, -0615-XXX, -08AB-XXX, -08AB-GXXX, -0816-G, -0825-XXX, -0826-G, -08AB-GWXXX, -0815-XXX with suffix numbers that identify various options or combinations of options limited to those addressed in this Report and the following:

Applicable Standards: UL 484 "Room Air Conditioners"
CSA-C22.2 No. 236 "Heating and Cooling Equipment"
CSA/UL 60335-1 "Safety of Household and Similar Electrical Appliances, Part 1: General Requirements"
CSA/UL 60335-2-40 "Household and Similar Electrical Appliances, Part 2-40: Particular Requirements for Electrical Heat Pumps, Air-Conditioners and Dehumidifiers"
NEMA250 Enclosures for Electrical Equipment (1000 Volts Max.)

Authorized by:



5/7/2018 (today's date)

Glen Kampa

Date

Senior Regulatory Engineer

Subject to Change Without Notice

DOC: CERT-00198 B



ACVS.SA645

3

Page
Bottom

Air Conditioners, Special Purpose

Air Conditioners, Special Purpose

See General Information for Air Conditioners, Special Purpose

Hoffman Enclosures, Inc.

SA6453
PO BOX 9
ANOKA, MN 55303 USA

Field or factory installed accessory, Model 27868.

Self-contained electronic enclosure units, Models HB11-02AB-G3xx, HB11-03AB-G3xx, HB11-0416-3xxU, HB11-04AB-G3xx, HB11-0425-3xxU, HB11-0426-G3xx with suffixes, may be prefixed with the letter "M".

Models 13-0116-xxxxU, 13-01AB-Gxxxx, 13-01AB-G1xxx, 13-0126-1xxxU with suffixes, may be prefixed with the letter "M".

Models HB16-0716-xxxU, HB16-0826-xxxU, HB16-0926-xxxU, HB16-0816-GXXX, HB16-0826-GXXX, LB14-0726-XXXU, LB14-0765-XXXU, LB16-0616-001U, LB16-1026-XXXX, LB16-1026-GXXX with suffixes.

Models 17-02AB-Gxxx, 17-01AB-Gxxx, 17-0216-xxxU with suffixes, may be prefixed with letter "M" or "N".

Models 28-0216-xxxU, 28-02AB-Gxxx, 28-03AB-Gxxx, 28-04AB-Gxxx, 28-0416-xxxU, 28-05AB-Gxxx, 28-06AB-Gxxx, 28-06AB-xxx with suffixes, may be prefixed with letter "M".

Models CR29-02AB-Gxxx, CR29-04AB-Gxxx, CR29-0416-xxxU with suffixes.

Models 33-03AB-Gxxx, 33-04AB-Gxxx with suffixes, may be prefixed with letter "M".

Models 36-0616-xxxU, 36-0625-xxxU, 36-06AB, 36-08AB-xxxU with suffixes, may be prefixed with letter "M". Models 36-0526-G3xx, 36-0565, 36-06AB-Gxxx with suffixes, may be prefixed with letter "M".

Models CRXX-06AB-XXX, CRXX-06AB-GXXX, CRXX-0615-XXX, CRXX-0625-XXX, CRXX-08AB-XXX, CRXX-08AB-GXXX, CRXX-0815-XXX, CRXX-0825-XXX.

Model CRXX-04AB-GXXX.

Models CRXX-0615, CRXX-06AB, CRXX-0625, CRXX-0815, CRXX-08AB, CRXX-0825. Model 47-0616-xxxU with suffixes.

Model 47-12AB-WXXX.

Models 52-06AB, 52-08AB, 52-0865-XXXU, 52-0825-2XXU, 52-10AB, 52-12AB with suffixes, may be prefixed with letter "M" excluding 52-1216-XXXUE, 52-1255-XXXUE.

Models 52-1926-xxx, 52-1926-GXXX with suffixes. Model 56-1216 followed by suffixes.

Model 52-0846 followed by suffixes. Model 52-0646 followed by suffixes. Model 52-1046 followed by suffixes. Models 59-1226, 59-1265 with suffixes.

Models 62-2126, 62-2226, may be prefixed with letter "T", with suffixes. Models 63-2026-xxxU, 63-2065-xxxU with suffixes.

Model CR23-02AB-GXXX. Model T50-1226-G1XX.

Models T53-1926-XXX, T53-1926-GXXXa, T53-1926-GXXXb.

Models G57-2026-GXXX, G-57-2046-GXXX.

Models T29-0416-GXXX, T29-0426-GXXX. Models T20-0216-GXXX, T20-0226-GXXX.

Models 70-3626, 70-3646-GXXX may be prefixed with letter "T", with suffixes.



RSPSupply - 1-888-532-2706 - <https://www.RSPSupply.com>
See the product details here

Model 70-6026 may be prefixed with letter "T", with suffixes. Models T15-0116, T15-0126 with suffixes.

Models T45-0816-GXXX, T45-0826-GXXX with suffix numbers.

Models T43-0616-GXXX, T43-0626-GXXX, T43-0816-G2XX, T43-0816-GXXX, T43-0826-GXXX, T43-0826-G2XX, ES10816GXXX with suffix numbers.

Models T43-1016-GXXX, T43-1026-GXXX, T43-1046-GXXX with suffix numbers.

Models G52-1216-GXXX, G52-1226-GXXX, G52-1246-GXXX, and G52-08"A"6-GXXX with suffix numbers that will identify various options or combinations.

Models G28-0416-GXXX, G28-0616-GXXX, G28-0426-GXXX, G28-0626-GXXX, G28-0446-GXXX, G28-0646-GXXX.

Models S0603ABGXXX, S0605ABGXXX, S1010ABGXXX, S1015ABGXXX, S1620ABGXXX, S1625ABGXXX, S1640ABGXXX.

Models NHZ28-04AB-GXXX, NHZ36-06AB-GXXX, NHZ36-08AB-GXXX, and NHZ43-12AB-GXXX.

Water cooled modules, Model 33-04ABGWXXX. Model CRXX-08AB-GWXXX.

Models LB11-0226, LB11-0265, LB11-0426, LB11-0465.

Models N28-04AB-GXXX, N36-06AB-GXXX, N36-08AB-GXXX, N43-12AB-GXXX. "A" represents 1, or 2 or 4 (115 V, or 230 V or 460 V).

"B" represents 5 and 6 (50Hz and 60Hz respectively). Note: Model numbers may or may not include dashes.

Trademark and/or Tradename: "Mclean", "HOFFMAN". LastUpdated on 2015-07-21

[Questions?](#)

[Printthispage](#)

[TermsofUse](#)

[PageTop](#)

© 2015 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non- misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2015 UL LLC".