

## Declaration of Conformity

Issued by Manufacturer  
Hoffman Enclosures, Inc.  
2100 Hoffman Way, Anoka, Minnesota 55303-1745, U.S.A.  
declare at our sole responsibility, that these devices are designed and constructed according to  
the fundamental safety and health requirements.

Enclosure Models: DBL\*\*\*\*\*G, DBS\*\*\*\*\*G (Bulletin DWS1)

Equipment Description: Hoffman Mild Steel Network Enclosure

Enclosure Certification: UL1863 Listed E230874

File E230874 Vol. 1 Sec. 1 Page 1 Issued: 2002-10-02  
and Report Revised: 2012-10-06

### DESCRIPTION

#### PRODUCT COVERED:

\*USL, CNL D-Box Wall Mount Enclosure, Cat. No. DBS\*\*\*\*\*G, where  
suffix "\*\*\*\*\*" denotes size changes. For indoor use  
only.

\*USL, CNL L-Box Wall Mount Enclosure, Cat. No. DBL\*\*\*\*\*G,  
where suffix "\*\*\*\*\*" denotes size changes. For indoor  
use only.

Applicable Standards: UL 2416 "Outline of Investigation for Audio/Video, Information and  
Communication Technology Equipment Cabinet, Enclosure and Rack  
System"  
CSA-C22.2 No. 60950-1 "Information Technology Equipment – Safety –  
Part 1: General Requirements"  
CSA-C22.2 No. 94 "Special Purpose Enclosures"

Authorized by:



5/7/2018 (today's date)

Glen Kampa

Date

Senior Regulatory Engineer

DOC: CERT-00146 B

Subject to Change Without Notice

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20121008-E230874  
**Report Reference** E230874-20021002  
**Issue Date** 2012-OCTOBER-08

**Issued to:** HOFFMAN ENCLOSURES, INC.  
2100 HOFFMAN WAY  
ANOKA MN 55303


**This is to certify that representative samples of** COMMUNICATIONS-CIRCUIT ACCESSORIES  
See Next page For Models.

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.


**Standard(s) for Safety:** UL 1863-Standard for Communication Circuits Accessories  
UL 2416-Outline of Investigation for Audio/Video, Information and Communication Technology Equipment Cabinet, Enclosure and Rack Systems  
CAN/CSA C22.2, No. 182.4 M90-CAN/CSA PLUGS, RECEPTACLES, AND CONNECTORS FOR COMMUNICATION SYSTEMS

**Additional Information:** See the UL Online Certifications Directory at [www.ul.com/database](http://www.ul.com/database) for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers:  the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.



William R. Carney, Director, North American Certification Programs  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at [www.ul.com/contactus](http://www.ul.com/contactus)



# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20121008-E230874  
**Report Reference** E230874-20021002  
**Issue Date** 2012-OCTOBER-08

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Data Open Frame Racks, Cat. Nos. E-VR19FM\*\*U, E-DR19FM\*\*U, E-DR23FM\*\*U, E-VR23FM\*\*U.

DataCom 4-Post Open Frame Rack, Cat. No. E-4DR19FM\*\*U, DataCom 4-Post Open Frame Rack, Cat. No. E-4DR19FM\*\*U, E4DRS19FM\*\*U.

Heavy Duty DataCom Open Frame Racks, Cat. Heavy Duty DataCom Open Frame Racks, Cat. Hinged Wall-Mount Panel, Cat. No. E19HPM\*U.

Bottom Hinged Panel, Cat. No. E19BHPM\*U12.

Fixed Wall-Mount Rack, Cat. No. E-19FWM\*\*U20.

Side Mount Cabinet, Cat. No. E19SM\*U.

Swing Out Rack, Cat. No. E19SWM\*\*U20.

Double Hinged Wall Mount Cabinet, Cat. Nos. E- Double Hinged Wall Mount Cabinet, Cat. Nos. E- size, minor cosmetic changes, etc.

D-Box Wall Mount Enclosure, Cat. No. DBS\*\*\*\*\*G, where suffix "\*\*\*\*\*" denotes size changes. For indoor use only.

L-Box Wall Mount Enclosure, Cat. No. DBL\*\*\*\*\*G, where suffix "\*\*\*\*\*" denotes size changes. For indoor use only.

Telephone Cabinet, Cat. No. ATC\*\*R\*\*\*, where "\*" denotes size changes. For indoor or outdoor use.

NET Series Communication & Server Cabinets, Cat. Nos. NCxxxxx, NSxxxxx, where suffixes "xxxxx" denote the size of the cabinets and each digit can be any number 0 – 9 or blank, may be followed by additional suffix SH. For indoor use only.

MAXRACK Series 2-Post Open Frame Racks, Cat. No. MxxyyB\*\*, where suffix "xx" is 84 or 96 (height), "yy" is 6, 10, 16 or 28 (depth) and "\*\*\*" is 45 or 51 (rack units).

PIVOTRACK Series Wall Mount Rack, Cat. No. E19SWMCxxUyy, where suffix xx is 12 to 20 and yy denotes the depth (maximum 24 in).

VERSARACK Series Swing-Out Wall Mount Rack, Cat. No. RE19SWMxxUyy, where suffix xx is 12 to 25 and yy denotes depth (12 to 24 in.).

CABLERACK Series Ceiling Mount Rack, Cat. No. E19T6U.



William R. Carney, Director, North American Certification Programs  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at [www.ul.com/contactus](http://www.ul.com/contactus)

