


ALUMINIUM TERMINAL BOX, HALP



The aluminium terminal box range, HALP, with a IP 66, 67 protection degree, is available off the shelf in many different sizes. The HALP range is well suited for indoor and outdoor environments thanks to excellent corrosion resistance. Water and dust are prevented from entering the terminal box, thus eliminating the risk for component failure, and with that, unnecessary downtime.

INDUSTRY STANDARDS

CE UKCA
EAC
GOST
IP

FEATURES

Material: Aluminium alloy EN AC-47100.

Gasket: Standard supply fitted with a polyurethane gasket. Silicone, neoprene and EPDM gaskets are available on request.

Temperature resistance: -30 °C to +80 °C.

Protection: IP 66, 67, IK 09, 08 for HALP050503GE.

Finish: RAL 7001.

Approvals: CE, GOST. For cULus_UL Listed approvals, please contact our sales department.

Delivery: Body and cover are manufactured from aluminum, cover screws are made of stainless steel.


SPECIFICATIONS

Material:	Aluminum
Finish:	Powder Coated
Color Code:	RAL 7001
Color:	Silver Grey

Table 1/1

Catalog Number	Height (H)	Width (W)	Depth (D)	Body Thickness	Cover Thickness	Cover Screw Quantity
HALP050503GE	45 mm	50 mm	30 mm	3 mm	2 mm	2
HALP080806GE	80 mm	75 mm	57 mm	3.5 mm	2.5 mm	4
HALP081306GE	80 mm	125 mm	57 mm	3.5 mm	2.6 mm	4
HALP081806GE	80 mm	175 mm	57 mm	3.5 mm	2.5 mm	4
HALP082506GE	80 mm	250 mm	57 mm	3.5 mm	2.5 mm	4
HALP060604GE	64 mm	58 mm	36 mm	3.5 mm	3 mm	4
HALP061004GE	64 mm	98 mm	36 mm	3.5 mm	3 mm	4
HALP061504GE	64 mm	150 mm	36 mm	3.5 mm	3 mm	4
HALP121208GE	122 mm	122 mm	80 mm	4.1 mm	3.7 mm	4
HALP123608GE	122 mm	360 mm	80 mm	4.1 mm	3.7 mm	4
HALP161609GE	160 mm	160 mm	90 mm	4.1 mm	3.7 mm	4
HALP163609GE	160 mm	360 mm	90 mm	4.1 mm	3.7 mm	4
HALP233311GE	230 mm	330 mm	110 mm	4.1 mm	3.7 mm	4
HALP233318GE	230 mm	330 mm	180 mm	4.5 mm	3.7 mm	4
HALP234011GE	230 mm	400 mm	110 mm	4.1 mm	3.7 mm	4
HALP121209GE	122 mm	122 mm	90 mm	4.1 mm	4 mm	4
HALP122208GE	122 mm	220 mm	80 mm	4 mm	4 mm	4
HALP122209GE	122 mm	220 mm	90 mm	4 mm	4 mm	4
HALP162609GE	160 mm	260 mm	90 mm	4 mm	4 mm	4
HALP165609GE	160 mm	560 mm	90 mm	4 mm	4 mm	6
HALP232011GE	230 mm	200 mm	110 mm	4.1 mm	4.1 mm	4
HALP236011GE	230 mm	600 mm	110 mm	4 mm	4 mm	6

DIAGRAMS



WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.



Our powerful portfolio of brands:
nVent.com CADDY ERICO HOFFMAN RAYCHEM SCHROFF
TRACER