

TR-MARGIN STOP - Locking

0801810

<https://www.phoenixcontact.com/us/products/0801810>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Locking



Commercial data

Item number	0801810
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BG03
Product key	BG122Y
GTIN	4046356724524
Weight per piece (including packing)	80.525 g
Weight per piece (excluding packing)	80.525 g
Customs tariff number	90179000
Country of origin	DE

TR-MARGIN STOP - Locking

0801810

<https://www.phoenixcontact.com/us/products/0801810>



Technical data

Product properties

Product type

Printing system accessories

TR-MARGIN STOP - Locking



0801810

<https://www.phoenixcontact.com/us/products/0801810>

Classifications

ECLASS

ECLASS-11.0	19140192
ECLASS-12.0	19140192
ECLASS-13.0	19140192

ETIM

ETIM 9.0	EC001675
----------	----------

UNSPSC

UNSPSC 21.0	43211600
-------------	----------

TR-MARGIN STOP - Locking

0801810

<https://www.phoenixcontact.com/us/products/0801810>



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values
------------	---

TR-MARGIN STOP - Locking

0801810

<https://www.phoenixcontact.com/us/products/0801810>



Accessories

THERMOMARK ROLL 2.0 - Thermal transfer printer

1085260

<https://www.phoenixcontact.com/us/products/1085260>



Thermal transfer printer for material off the roll, incl. Euro/US power cable and USB cable. Operating instructions printed in German and English. 1 roll of labels EML (20x8)R white = 1000 labels, ink ribbon = 50 m

THERMOMARK ROLL - Thermal transfer printer

5146477

<https://www.phoenixcontact.com/us/products/5146477>



Thermal transfer printer, 300 dpi, incl. European power cable, US power cable, and USB cable. DVD with CLIP PROJECT advanced planning and marking software, user manuals in various languages, Windows® printer driver, and firmware. German/English user manual in DIN A5 format, EML (20x8)R roll of labels, white, with 1000 labels, and ink ribbon: 50 m

Phoenix Contact 2023 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA

586 Fulling Mill Road

Middletown, PA 17057, United States

(+717) 944-1300

info@phoenixcon.com