

Mounting plate - FL Din-Rail Adapter 22.5 - 1085485

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



The FL DIN-RAIL ADAPTER 22.5 is designed to allow products 22.5 mm wide to be mounted flush to a standard 35 mm DIN rail, in any orientation.

Product Description

The FL DIN-RAIL ADAPTER 22.5 is designed to allow products 22.5 mm wide to be mounted flush to a standard 35 mm DIN rail, in any orientation.

Your advantages

- Easy and secure adapting of DIN rail products to mount flush to a DIN rail.



Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	140.000 g
Country of origin	Taiwan

Technical data

Dimensions

Height	104.21 mm
Depth	38.3 mm
Width	34 mm

General

Weight	88.3 g
--------	--------

Classifications

eCl@ss

eCl@ss 10.0.1	27182807
eCl@ss 8.0	27189234

Mounting plate - FL Din-Rail Adapter 22.5 - 1085485

Classifications

eCl@ss

eCl@ss 9.0	27189234
------------	----------

ETIM

ETIM 5.0	EC002625
----------	----------

Accessories

Accessories

Switch

Industrial Ethernet Switch - FL SWITCH 1005N - 1085039



Narrow Ethernet switch, five RJ45 ports with 10/100 Mbps on all ports, automatic data transmission speed detection, autocrossing function, and QoS

Industrial Ethernet Switch - FL SWITCH 1105N - 1085254



Narrow Ethernet switch, five RJ45 ports with 10/100/1000 Mbps on all ports, automatic data transmission speed detection, autocrossing function, and QoS

Industrial Ethernet Switch - FL SWITCH 1008N - 1085256



Narrow Ethernet switch, eight RJ45 ports with 10/100 Mbps on all ports, automatic data transmission speed detection, autocrossing function, and QoS

Industrial Ethernet Switch - FL SWITCH 1108N - 1085243



Narrow Ethernet switch, eight RJ45 ports with 10/100/1000 Mbps on all ports, automatic data transmission speed detection, autocrossing function, and QoS
