

1184148

https://www.phoenixcontact.com/us/products/1184148

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Mobile thermal transfer printer for marking materials in cartridge format incl. accessories in the practical case from the proven L-BOXX system. The printer can print materials in continuous format up to a material width of 24 mm.

### Product description

The THERMOMARK GO.K SET contains a mobile printer that is ideal for fast identification on site. The thermal transfer printer is robust, easy to use, and offers versatile functions. It processes continuous media for terminal marking, cable and wire marking, equipment marking, and plant marking.

#### Scope of supply:

THERMOMARK GO.K, case, battery, power supply unit incl. 4 adapters, USB cable, MM-EMLF (EX18)R C1 WH/BK, MM-EMLC (EX18)R C1 WH/BK, brief instructions

#### Your advantages

- · Maintenance-free operation with proven thermal transfer printer technology
- 8 different bar codes and over 300 symbols can be integrated; up to 20 projects can be created and stored directly on the device
- · Printing of self-adhesive, non-sticky labels and shrink sleeves
- The THERMOMARK GO.K prints materials in cartridge format, which contain the material to be marked and the appropriate ink ribbon
- Intuitive user guidance thanks to a well-structured menu and direct input keys
- · Alternative control via the PROJECT complete software
- · Maximum flexibility for all transport situations with the proven L-BOXX system
- Everything needed, always available in the field: The case has sufficient space for your printing system, including accessories and for 9 material cartridges
- · Ideal protection of your printing system in all everyday situations thanks to resistant materials and a securely closing buckle
- · Easy and efficient storage and transportation of your mobile printing system

#### Commercial data

Item number	1184148
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BG01
Product key	BG1222
GTIN	4063151223533
Weight per piece (including packing)	3,390 g
Weight per piece (excluding packing)	2,130.23 g
Customs tariff number	84433210



1184148

https://www.phoenixcontact.com/us/products/1184148

Country of origin CN



1184148

https://www.phoenixcontact.com/us/products/1184148

#### Set consists of

#### THERMOMARK GO.K - Thermal transfer printer

1184146

https://www.phoenixcontact.com/us/products/1184146



Mobile thermal transfer printer for marking materials in cartridge format. The printer can print materials in continuous format up to a material width of 24 mm.

#### THERMOMARK GO ACCU - Battery

0805009

https://www.phoenixcontact.com/us/products/0805009



Battery for mobile operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.



1184148

https://www.phoenixcontact.com/us/products/1184148

### THERMOMARK GO ADAPTER - Power supply unit

0805010

https://www.phoenixcontact.com/us/products/0805010



Power supply unit incl. 4 adapters for operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.

#### MM-EMLF (EX18)R C1 WH/BK - Label, highly flexible

0803939

https://www.phoenixcontact.com/us/products/0803939



Label, highly flexible, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-EMLC (EX18)R C1 WH/BK - Fabric label

0803936

https://www.phoenixcontact.com/us/products/0803936



Fabric label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

#### THERMOMARK GO CASE - Case

1229456

https://www.phoenixcontact.com/us/products/1229456



Practical and robust case for storing the THERMOMARK GO and THERMOMARK GO.K mobile printers as well as accessories. The case offers space for 9 material cartridges and maximum flexibility for all transport situations thanks to the proven L-BOXX system.



1184148

https://www.phoenixcontact.com/us/products/1184148

### Technical data

#### Product properties

roduct properties	
Product type	Printing system
Marking	
Marking procedure	Thermal transfer
Device properties	
Print width	24 mm
Print resolution	203 dpi
Operating system	Windows 10, Windows Server 2016, Windows Server 2019, Windows Server 2022
Interfaces	
Interface	USB
Dimensions	
Width	98 mm
Height	69 mm
Length	230 mm

### Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	5 °C 40 °C



1184148

https://www.phoenixcontact.com/us/products/1184148

### Classifications

#### **ECLASS**

UNSPSC 21.0

ECLASS-11.0	19140104
ECLASS-12.0	19140104
ECLASS-13.0	19140104
ETIM	
ETIM 9.0	EC001684
UNSPSC	

43212100



1184148

https://www.phoenixcontact.com/us/products/1184148

#### Accessories

#### THERMOMARK GO ACCU - Battery

0805009

https://www.phoenixcontact.com/us/products/0805009



Battery for mobile operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.

#### THERMOMARK GO ADAPTER - Power supply unit

0805010

https://www.phoenixcontact.com/us/products/0805010



Power supply unit incl. 4 adapters for operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.



1184148

https://www.phoenixcontact.com/us/products/1184148

#### THERMOMARK GO CHARGER - Charging tray

0805012

https://www.phoenixcontact.com/us/products/0805012



Charging cradle for charging the THERMOMARK GO ACCU battery (0805009), which is required for mobile operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.

#### THERMOMARK GO.K MAGNET HOLDER - Mounting unit

0805008

https://www.phoenixcontact.com/us/products/0805008



Magnetic holder for mounting the THERMOMARK GO.K / THERMOFOX mobile printer on metal surfaces, such as a control cabinet.



1184148

https://www.phoenixcontact.com/us/products/1184148

#### THERMOMARK GO.K BELT CLIP - Fastening clip

0805004

https://www.phoenixcontact.com/us/products/0805004



Clip for fastening the THERMOMARK GO.K / THERMOFOX mobile printer to a belt.

#### THERMOMARK GO.K BAG - Transport bag

0805003

https://www.phoenixcontact.com/us/products/0805003



Shoulder bag for storing the THERMOMARK GO.K / THERMOFOX mobile printer as well as necessary accessory parts



1184148

https://www.phoenixcontact.com/us/products/1184148

#### THERMOMARK GO CASE - Case

1229456

https://www.phoenixcontact.com/us/products/1229456



Practical and robust case for storing the THERMOMARK GO and THERMOMARK GO.K mobile printers as well as accessories. The case offers space for 9 material cartridges and maximum flexibility for all transport situations thanks to the proven L-BOXX system.

#### MM-EMLF (EX18)R C1 GN/WH - Label, highly flexible

0803953

https://www.phoenixcontact.com/us/products/0803953



Label, highly flexible, Roll, green/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-EMLF (EX24)R C1 GN/WH - Label, highly flexible

0803954

https://www.phoenixcontact.com/us/products/0803954



Label, highly flexible, Roll, green/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

#### MM-EMLF (EX10)R C1 OG/BK - Label, highly flexible

0803955

https://www.phoenixcontact.com/us/products/0803955



Label, highly flexible, Roll, orange/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-EMLF (EX12)R C1 OG/BK - Label, highly flexible

0803956

https://www.phoenixcontact.com/us/products/0803956



Label, highly flexible, Roll, orange/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

#### MM-EMLF (EX18)R C1 OG/BK - Label, highly flexible

0803957

https://www.phoenixcontact.com/us/products/0803957



Label, highly flexible, Roll, orange/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-EMLF (EX24)R C1 OG/BK - Label, highly flexible

0803958

https://www.phoenixcontact.com/us/products/0803958



Label, highly flexible, Roll, orange/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

#### MM-EMLF (EX10)R C1 RD/WH - Label, highly flexible

0803959

https://www.phoenixcontact.com/us/products/0803959



Label, highly flexible, Roll, red/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-WMS 3,2 (EX5)R C1 WH/BK - Shrink sleeve

0803923

https://www.phoenixcontact.com/us/products/0803923



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 1 ... 3.2 mm, lettering field size: continuous x 3.1 mm, Number of individual labels: 1

#### MM-WMS 4,8 (EX9)R C1 WH/BK - Shrink sleeve

0803924

https://www.phoenixcontact.com/us/products/0803924



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 1.6 ... 4.8 mm, lettering field size: continuous x 5.4 mm, Number of individual labels: 1



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-WMS 6,4 (EX10)R C1 WH/BK - Shrink sleeve

0803925

https://www.phoenixcontact.com/us/products/0803925



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 2.1 ... 6.4 mm, lettering field size: continuous x 8.2 mm, Number of individual labels: 1

#### MM-WMS 9,5 (EX16)R C1 WH/BK - Shrink sleeve

0803926

https://www.phoenixcontact.com/us/products/0803926



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 3.2 ... 9.5 mm, lettering field size: continuous x 12.8 mm, Number of individual labels: 1



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-WMS-2 3,2 (EX5)R C1 WH/BK - Shrink sleeve

0803927

https://www.phoenixcontact.com/us/products/0803927



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 1.6 ... 3.2 mm, lettering field size: continuous x 3.7 mm, Number of individual labels: 1

#### MM-WMS-2 4,8 (EX9)R C1 WH/BK - Shrink sleeve

0803928

https://www.phoenixcontact.com/us/products/0803928



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 2.4 ... 4.8 mm, lettering field size: continuous x 6.1 mm, Number of individual labels: 1



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-WMS-2 6,4 (EX10)R C1 WH/BK - Shrink sleeve

0803929

https://www.phoenixcontact.com/us/products/0803929



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 3.2 ... 6.4 mm, lettering field size: continuous x 8.5 mm, Number of individual labels: 1

#### MM-WMS-2 9,5 (EX16)R C1 WH/BK - Shrink sleeve

0803930

https://www.phoenixcontact.com/us/products/0803930



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 4.8 ... 9.5 mm, lettering field size: continuous x 12.5 mm, Number of individual labels: 1



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-WML 3 (EX10)R C1 WH/BK - Cable marker label

0803931

https://www.phoenixcontact.com/us/products/0803931



Cable marker label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, cable diameter range: 2 ... 3 mm, lettering field size: continuous x 8 mm, Number of individual labels: 1

#### MM-WML 5 (EX10)R C1 WH/BK - Cable marker label

0803932

https://www.phoenixcontact.com/us/products/0803932



Cable marker label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, cable diameter range: 2 ... 5 mm, lettering field size: continuous x 8 mm, Number of individual labels: 1



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-EMLC (EX10)R C1 WH/BK - Fabric label

0803933

https://www.phoenixcontact.com/us/products/0803933



Fabric label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

#### MM-EMLC (EX12)R C1 WH/BK - Fabric label

0803934

https://www.phoenixcontact.com/us/products/0803934



Fabric label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-EMLC (EX18)R C1 WH/BK - Fabric label

0803936

https://www.phoenixcontact.com/us/products/0803936



Fabric label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

#### MM-EMLF (EX10)R C1 WH/BK - Label, highly flexible

0803937

https://www.phoenixcontact.com/us/products/0803937



Label, highly flexible, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-EMLF (EX12)R C1 WH/BK - Label, highly flexible

0803938

https://www.phoenixcontact.com/us/products/0803938



Label, highly flexible, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

#### MM-EMLF (EX18)R C1 WH/BK - Label, highly flexible

0803939

https://www.phoenixcontact.com/us/products/0803939



Label, highly flexible, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-EMLF (EX24)R C1 WH/BK - Label, highly flexible

0803940

https://www.phoenixcontact.com/us/products/0803940



Label, highly flexible, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 24 mm

#### MM-EMLF (EX10)R C1 YE/BK - Label, highly flexible

0803941

https://www.phoenixcontact.com/us/products/0803941



Label, highly flexible, Roll, yellow/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm



1184148

https://www.phoenixcontact.com/us/products/1184148

### MM-EMLF (EX12)R C1 YE/BK - Label, highly flexible

0803942

https://www.phoenixcontact.com/us/products/0803942



Label, highly flexible, Roll, yellow/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

#### MM-EMLF (EX18)R C1 YE/BK - Label, highly flexible

0803943

https://www.phoenixcontact.com/us/products/0803943



Label, highly flexible, Roll, yellow/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-EMLF (EX24)R C1 YE/BK - Label, highly flexible

0803944

https://www.phoenixcontact.com/us/products/0803944



Label, highly flexible, Roll, yellow/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

#### MM-EMLF (EX10)R C1 BU/WH - Label, highly flexible

0803945

https://www.phoenixcontact.com/us/products/0803945



Label, highly flexible, Roll, blue/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-EMLF (EX12)R C1 BU/WH - Label, highly flexible

0803946

https://www.phoenixcontact.com/us/products/0803946



Label, highly flexible, Roll, blue/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

#### MM-EMLF (EX18)R C1 BU/WH - Label, highly flexible

0803947

https://www.phoenixcontact.com/us/products/0803947



Label, highly flexible, Roll, blue/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-EMLF (EX24)R C1 BU/WH - Label, highly flexible

0803949

https://www.phoenixcontact.com/us/products/0803949



Label, highly flexible, Roll, blue/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

#### MM-EMLF (EX10)R C1 GN/WH - Label, highly flexible

0803950

https://www.phoenixcontact.com/us/products/0803950



Label, highly flexible, Roll, green/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm



1184148

https://www.phoenixcontact.com/us/products/1184148

### MM-EMLF (EX12)R C1 GN/WH - Label, highly flexible

0803952

https://www.phoenixcontact.com/us/products/0803952



Label, highly flexible, Roll, green/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

#### MM-EMLF (EX12)R C1 RD/WH - Label, highly flexible

0803960

https://www.phoenixcontact.com/us/products/0803960



Label, highly flexible, Roll, red/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-EMLF (EX18)R C1 RD/WH - Label, highly flexible

0803961

https://www.phoenixcontact.com/us/products/0803961



Label, highly flexible, Roll, red/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

#### MM-EMLF (EX24)R C1 RD/WH - Label, highly flexible

0803962

https://www.phoenixcontact.com/us/products/0803962



Label, highly flexible, Roll, red/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-EMT (EX6)R C1 WH/BK - Insert label

0803963

https://www.phoenixcontact.com/us/products/0803963



Insert label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 4 mm, Number of individual labels: 1

#### MM-EMT (EX8)R C1 WH/BK - Insert label

0803965

https://www.phoenixcontact.com/us/products/0803965



Insert label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 6 mm, Number of individual labels: 1



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-EMT (EX15)R C1 WH/BK - Insert label

0803966

https://www.phoenixcontact.com/us/products/0803966



Insert label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 13 mm, Number of individual labels: 1

#### MM-EMT (EX17)R C1 WH/BK - Insert label

0803967

https://www.phoenixcontact.com/us/products/0803967



Insert label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 15 mm, Number of individual labels: 1



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-EMT (EX18)R C1 WH/BK - Insert label

0803968

https://www.phoenixcontact.com/us/products/0803968



Insert label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 16 mm, Number of individual labels: 1

#### MM-EMT (EX23)R C1 WH/BK - Insert label

0803969

https://www.phoenixcontact.com/us/products/0803969



Insert label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 21 mm, Number of individual labels: 1



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-EML (EX10)R C1 WH/BK - Label

0803970

https://www.phoenixcontact.com/us/products/0803970



Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

#### MM-EML (EX12)R C1 WH/BK - Label

0803971

https://www.phoenixcontact.com/us/products/0803971



Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-EML (EX18)R C1 WH/BK - Label

0803972

https://www.phoenixcontact.com/us/products/0803972



Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

#### MM-EML (EX24)R C1 WH/BK - Label

0803973

https://www.phoenixcontact.com/us/products/0803973



Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-EML (EX10)R C1 SR/BK - Label

0803974

https://www.phoenixcontact.com/us/products/0803974



Label, Roll, silver/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

#### MM-EML (EX12)R C1 SR/BK - Label

0803975

https://www.phoenixcontact.com/us/products/0803975



Label, Roll, silver/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-EML (EX18)R C1 SR/BK - Label

0803976

https://www.phoenixcontact.com/us/products/0803976



Label, Roll, silver/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

#### MM-EML (EX24)R C1 SR/BK - Label

0803978

https://www.phoenixcontact.com/us/products/0803978



Label, Roll, silver/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-TML (EX4,2)R C1 TR/BK - Label

0803979

https://www.phoenixcontact.com/us/products/0803979



Label, Roll, transparent/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 3.2 mm, Number of individual labels: 1

#### MM-TML (EX9,5)R C1 TR/BK - Label

0803981

https://www.phoenixcontact.com/us/products/0803981



Label, Roll, transparent/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 7.5 mm, Number of individual labels: 1



1184148

https://www.phoenixcontact.com/us/products/1184148

#### MM-TMT (EX6,35)R C1 WH/BK - Label

0803982

https://www.phoenixcontact.com/us/products/0803982



Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 4.3 mm, Number of individual labels: 1

#### MM-TMT (EX9,5)R C1 WH/BK - Label

0803983

https://www.phoenixcontact.com/us/products/0803983



Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 7.5 mm, Number of individual labels: 1



1184148

https://www.phoenixcontact.com/us/products/1184148

### MM-TML (EX3,8)R C1 WH/BK - Label

1092026

https://www.phoenixcontact.com/us/products/1092026



Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 2.8 mm, Number of individual labels: 1

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com