1192931

https://www.phoenixcontact.com/us/products/1192931

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Applicator for the efficient printing and applying of E-WML... wire-wrap labels on wires and cables in a single automated process step

Product description

To achieve maximum efficiency in wire and cable identification processes, combine the THERMOMARK E.300 D or THERMOMARK E.600 D roll printer with the THERMOMARK E.WRAP applicator. This provides you with an automated printing and applying system that enables you to achieve time savings of up to 60% compared to manual identification processes. The THERMOMARK E.WRAP automatically applies wire-wrap labels to cylindrical objects, while also ensuring a consistently high level of quality. This is essential in the case of wire-wrap labels, as they have an additional protective laminate to protect the printed surface. The end result is an extremely resilient identification solution that can even be used outdoors, for example. To make handling as easy as possible, the device features an adjustable scale that ensures that the marking is always attached at the desired distance from the cable end. This efficient system enables the automated identification of all objects that have a diameter of between 2 mm/0.08" and 16 mm/0.63".

Scope of supply:

THERMOMARK E.WRAP, TM E.WRAP-PR pressure roller (1259200), TM E.300/E.600-DISPENSING EDGE/L dispensing edge (1263116), multilingual packing slip

Your advantages

- · Maximum efficiency: time savings of up to 60% compared to manual printing and applying processes
- · Consistently high level of efficiency over the entire working day through intuitive handling, which helps reduce costs
- Planning accuracy with regard to productivity and quality: in the case of order peaks, productivity can be increased significantly using the same number of employees
- Reduction in the number of user errors through intuitive step-by-step guidance along the entire identification process as well as automatic data processing from CAE systems and other popular file formats for data exchange
- The comprehensive material portfolio means that all wire and cable diameters ranging from 2 mm/0.08" ... 16 mm/0.63" can be covered
- · Consistently high application quality: positive influence on the resistance and durability of the marking
- · Easy handling: positioning of the marker can be defined by orientation to the scale
- · For indoor and outdoor applications: applied markers are highly resistant due to the protective laminate
- · For cylindrical objects, wires, and cables
- Quick and easy mounting of the applicator on the roll printer via hexagon screw
- The applicator is connected via the D-SUB interface on the roll printer and is detected automatically by the software

Commercial data

Item number	1192931
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BG01

1192931

https://www.phoenixcontact.com/us/products/1192931

Product key	BG122Z
GTIN	4063151245375
Weight per piece (including packing)	5,480 g
Weight per piece (excluding packing)	4,350 g
Customs tariff number	84433210
Country of origin	DE

DPHŒNIX CONTACT

1192931

https://www.phoenixcontact.com/us/products/1192931



Technical data

Printing system accessories
24 V DC
180 mm
205 mm
185 mm
15 °C 35 °C





https://www.phoenixcontact.com/us/products/1192931



Classifications

ECLASS

ECLASS-11.0	19140192
ECLASS-12.0	19140192
ECLASS-13.0	19140192

ETIM

ETIM 9.0	EC001675
----------	----------

1192931

https://www.phoenixcontact.com/us/products/1192931



Accessories

THERMOMARK E.300 D US - Thermal transfer printer

1287033 https://www.phoenixcontact.com/us/products/1287033



Thermal transfer printer with internal rewinder for printing all materials in roll format with a print resolution of 300 dpi. Suitable for long-term use in production and for large print volumes, as large rolls can also be processed.

THERMOMARK E.600 D US - Thermal transfer printer

1287040

https://www.phoenixcontact.com/us/products/1287040



Thermal transfer printer with internal rewinder for printing all materials in roll format with a print resolution of 600 dpi. Suitable for long-term use in production and for large print volumes, as large rolls can also be processed.

1192931

https://www.phoenixcontact.com/us/products/1192931



TM-RIBBON 64 BK 103 - Ink ribbon

1255598

https://www.phoenixcontact.com/us/products/1255598



Ink ribbon, For the E-WML... product group in combination with the THERMOMARK E.WRAP applicator, length: 0.3 m, roll length: 300 m, width: 64 mm, color: black

TM E.WRAP-PR - Pressure roller

1259200 https://www.phoenixcontact.com/us/products/1259200



Pressure roller for all E-WML... materials (material width of up to 60 mm/2.36")

1192931

https://www.phoenixcontact.com/us/products/1192931

TM E.300/E.600-DISPENSING EDGE/L - Dispensing edge

1263116

https://www.phoenixcontact.com/us/products/1263116



Dispensing edge for processing all E-WML... materials when using the THERMOMARK E.WRAP

THERMOMARK E SERIES CASE - Case

1450747 https://www.phoenixcontact.com/us/products/1450747



Transport case for the E.SLEEVE, E.VARIO, E.WIRE, and E.WRAP applicators of the THERMOMARK E SERIES and their accessories.

PHŒN

1192931

https://www.phoenixcontact.com/us/products/1192931

TM E.WRAP-CARDBOARD BOX - Original packaging

1371340

https://www.phoenixcontact.com/us/products/1371340



Original packaging incl. inlay for safe transportation of the THERMOMARK E. WRAP

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com PHŒN