

1192932

https://www.phoenixcontact.com/us/products/1192932

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Applicator for the efficient printing and application of E-WMS... shrink sleeves and marking sleeves on wires and cables in a single automated process step

Product description

To achieve maximum efficiency in wire and cable identification processes, combine a standard roll printer from the THERMOMARK E SERIES with the THERMOMARK E.SLEEVE applicator. This provides you with an automated printing and application system that enables you to achieve time savings of up to 75% compared to manual identification processes. The THERMOMARK E.SLEEVE cuts the ready-printed E-WMS... shrink sleeves and marking sleeves in continuous format to the appropriate length, opens the individual markers, and feeds them in as far as the removal position so that the user can apply the finished markers to the wire/cable very easily. This unique system enables the efficient and demand-oriented creation of custom marker lengths between 15 mm/0.59" and 51 mm/2.0". Automated identification of all types of cylindrical objects that have a diameter of between 0.8 mm/0.03" and 8.5 mm/0.33" is supported.

Scope of supply:

THERMOMARK E.SLEEVE, TM E.WIRE/E.SLEEVE-PR pressure roller (1259203), multilingual packing slip

Your advantages

- Time savings of up to 75% compared to manual printing and application processes
- · Consistently high level of efficiency over the entire working day through intuitive handling, which helps reduce costs
- Planning accuracy with regard to productivity and quality: in the case of order peaks, productivity can be increased significantly using the same number of employees
- Reduction in the number of user errors through intuitive step-by-step guidance along the entire identification process as well as automatic data processing from CAE systems and other popular file formats for data exchange
- · Cost efficiency by using shrink sleeves in continuous format
- · No setup effort, thanks to automatic diameter adjustment
- · Automatic object detection
- Shrink sleeve markers cut to variable lengths from 15 mm ... 51 mm
- For cylindrical objects with a diameter ranging from 0.8 mm ... approx. 8.5 mm
- · Quick and easy mounting of the applicator on the roll printer via hexagon screw
- The applicator is connected via the D-SUB interface on the roll printer and is detected automatically by the software

Commercial data

Item number	1192932
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BG01
Product key	BG122Z



1192932

https://www.phoenixcontact.com/us/products/1192932

GTIN	4063151244699
Weight per piece (including packing)	3,600 g
Weight per piece (excluding packing)	2,440 g
Customs tariff number	84433210
Country of origin	DE



1192932

https://www.phoenixcontact.com/us/products/1192932

Technical data

Product properties

Product type	Printing system accessories
Electrical properties	
Supply	
Supply voltage range	24 V DC
Dimensions	
Width	244 mm
Height	148 mm
Length	200 mm

Environmental and real-life conditions

Ambient conditions

A 1: 11	F * O
Ambient temperature (operation)	5 °C 35 °C



1192932

https://www.phoenixcontact.com/us/products/1192932

Classifications

ECLASS

ECLASS-11.0	19140192
ECLASS-12.0	19140192
ECLASS-13.0	19140192

ETIM

ETIM 9.0	EC001675	



1192932

https://www.phoenixcontact.com/us/products/1192932

Accessories

THERMOMARK E.300 D US - Thermal transfer printer

1287033

https://www.phoenixcontact.com/us/products/1287033



Thermal transfer printer with internal rewinder for printing all materials in roll format with a print resolution of 300 dpi. Suitable for long-term use in production and for large print volumes, as large rolls can also be processed.

THERMOMARK E.300 US - Thermal transfer printer

1287021

https://www.phoenixcontact.com/us/products/1287021



Thermal transfer printer for printing all materials in roll format with a print resolution of 300 dpi. Suitable for long-term use in production and for large print volumes, as large rolls can also be processed.



1192932

https://www.phoenixcontact.com/us/products/1192932

THERMOMARK E.600 D US - Thermal transfer printer

1287040

https://www.phoenixcontact.com/us/products/1287040



Thermal transfer printer with internal rewinder for printing all materials in roll format with a print resolution of 600 dpi. Suitable for long-term use in production and for large print volumes, as large rolls can also be processed.

THERMOMARK E.600 US - Thermal transfer printer

1287029

https://www.phoenixcontact.com/us/products/1287029



Thermal transfer printer for printing all materials in roll format with a print resolution of 600 dpi. Suitable for long-term use in production and for large print volumes, as large rolls can also be processed.



1192932

https://www.phoenixcontact.com/us/products/1192932

TM-RIBBON 40 BK 105 - Ink ribbon

1259008

https://www.phoenixcontact.com/us/products/1259008



Ink ribbon, for the E-WMS... product group in combination with the THERMOMARK E.SLEEVE applicator and the WMS... and WMS-2 HF... product groups in combination with conventional roll printers, length: 300 m, roll length: 300 m, width: 40 mm, color: black

TM E.WIRE/E.SLEEVE-PR - Pressure roller

1259203

https://www.phoenixcontact.com/us/products/1259203



Pressure roller for all E-WM... and E-WMS... materials (for material width of up to 30 mm/1.18")



1192932

https://www.phoenixcontact.com/us/products/1192932

THERMOMARK E SERIES CASE - Case

1450747

https://www.phoenixcontact.com/us/products/1450747



Transport case for the E.SLEEVE, E.VARIO, E.WIRE, and E.WRAP applicators of the THERMOMARK E SERIES and their accessories.

TM E.SLEEVE-CARDBOARD BOX - Original packaging

1371341

https://www.phoenixcontact.com/us/products/1371341



Original packaging incl. inlay for safe transportation of the THERMOMARK E. SLEEVE

Phoenix Contact 2023 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com