

1221548

https://www.phoenixcontact.com/us/products/1221548

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Mobile thermal transfer printer for marking materials in cartridge format incl. accessories in the practical case from the proven L-BOXX system. The printer can print prepunched labels as well as materials in continuous format up to a material width of 24 mm.

Product description

The THERMOMARK GO SET contains a mobile printer that elevates the digitalization of industrial identification to a new level with its intuitive operation via smart device. Controlled via the MARKING system app, the robust printer creates markings directly on site. Features such as state-of-the-art interfaces, fully guided creation of application-specific identification solutions, and automatic material detection make the process of creating markings particularly easy and error-free. The ability to print die-cut materials as well as continuous media offers professional users a wide variety of applications in industry and trade.

Note:

This product is approved for the following countries only and may only be used in these countries.

Andorra, Argentina, Armenia, Australia, Australia, Belgium, Brazil, Bulgaria, Canada, Chile, China, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Japan, Kazakhstan, Kyrgyzstan, Latvia, Liechtenstein, Lithuania, Luxembourg, Malta, Monaco, Morocco, Netherlands, New Zealand, Norway, Poland, Portugal, Romania, Russia, San Marino, Singapore, Slovakia, Slovenia, South Africa, Spain, Sweden, Switzerland, Turkey, Ukraine, United Arab Emirates, United Kingdom, USA, Vatican City

Scope of supply:

THERMOMARK GO, case, battery, power supply unit incl. 4 adapters, USB cable, MM-EML (20X8)R C1 WH/BK, brief instructions

Your advantages

- · Maintenance-free operation with proven thermal transfer printer technology
- · Printing of punched and continuous adhesive labels, insert labels, and shrink sleeves
- · Operated entirely via digital devices using the MARKING system app
- User-friendly operation with context-based menu navigation of the MARKING system app and Application Wizards for easily creating applicationspecific marking solutions
- The THERMOMARK GO prints materials in cartridge format, which contain the material to be marked and the appropriate ink ribbon
- · Easy material change with the uniform GO SERIES cartridge system
- · Alternative control via the PROJECT complete software
- Everything needed, always available in the field: The case has sufficient space for your printing system, including accessories and for 9 material cartridges
- Ideal protection of your printing system in all everyday situations thanks to resistant materials and a securely closing buckle
- Easy and efficient storage and transportation of your mobile printing system
- · Maximum flexibility for all transport situations with the proven L-BOXX system

Commercial data

Item number 1221548



1221548

https://www.phoenixcontact.com/us/products/1221548

Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BG01
Product key	BG1222
GTIN	4063151309268
Weight per piece (including packing)	3,411 g
Weight per piece (excluding packing)	3,411 g
Customs tariff number	84433210
Country of origin	CN



1221548

https://www.phoenixcontact.com/us/products/1221548

Set consists of

THERMOMARK GO - Thermal transfer printer

1090747

https://www.phoenixcontact.com/us/products/1090747



Mobile thermal transfer printer for marking materials in cartridge format incl. accessories. The printer can print prepunched labels as well as materials in continuous format up to a material width of 24 mm

THERMOMARK GO ACCU - Battery

0805009

https://www.phoenixcontact.com/us/products/0805009



Battery for mobile operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.



1221548

https://www.phoenixcontact.com/us/products/1221548

THERMOMARK GO ADAPTER - Power supply unit

0805010

https://www.phoenixcontact.com/us/products/0805010



Power supply unit incl. 4 adapters for operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.

MM-EML (20X8)R C1 WH/BK - Label

1116204

https://www.phoenixcontact.com/us/products/1116204



Label, Roll, white/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: adhesive, lettering field size: 20 x 8 mm, Number of individual labels: 297



1221548

https://www.phoenixcontact.com/us/products/1221548

THERMOMARK GO CASE - Case

1229456

https://www.phoenixcontact.com/us/products/1229456



Practical and robust case for storing the THERMOMARK GO and THERMOMARK GO.K mobile printers as well as accessories. The case offers space for 9 material cartridges and maximum flexibility for all transport situations thanks to the proven L-BOXX system.



1221548

https://www.phoenixcontact.com/us/products/1221548

Technical data

Product properties

Product type	Printing system			
Marking				
Marking procedure	Thermal transfer			
Device properties Print width	22 mm			
Print resolution	203 dpi			
Operating system	Windows 10, Windows Server 2016, Windows Server 2019, Windows Server 2022			

Electrical properties

Supply

Supply voltage range	100 V AC 240 V AC (50 Hz 60 Hz)
----------------------	---------------------------------

Interfaces

USB. Bluetooth

Dimensions

Width	135 mm
Height	175 mm
Length	70 mm

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	5 °C 40 °C



1221548

https://www.phoenixcontact.com/us/products/1221548

Classifications

ECLASS

	ECLASS-11.0	19140104			
	ECLASS-12.0	19140104			
	ECLASS-13.0	19140104			
ETIM					
	ETIM 9.0	EC001684			
UNSPSC					
	UNSPSC 21.0	43212100			



1221548

https://www.phoenixcontact.com/us/products/1221548

Accessories

THERMOMARK GO ACCU - Battery

0805009

https://www.phoenixcontact.com/us/products/0805009



Battery for mobile operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.

THERMOMARK GO ADAPTER - Power supply unit

0805010

https://www.phoenixcontact.com/us/products/0805010



Power supply unit incl. 4 adapters for operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.



1221548

https://www.phoenixcontact.com/us/products/1221548

THERMOMARK GO CHARGER - Charging tray

0805012

https://www.phoenixcontact.com/us/products/0805012



Charging cradle for charging the THERMOMARK GO ACCU battery (0805009), which is required for mobile operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.

THERMOMARK GO BAG - Transport bag

1229457

https://www.phoenixcontact.com/us/products/1229457



Flexible shoulder bag and belt pouch for the THERMOMARK GO mobile printer. Additional pockets provide space for a smartphone and materials.



1221548

https://www.phoenixcontact.com/us/products/1221548

THERMOMARK GO CASE - Case

1229456

https://www.phoenixcontact.com/us/products/1229456



Practical and robust case for storing the THERMOMARK GO and THERMOMARK GO.K mobile printers as well as accessories. The case offers space for 9 material cartridges and maximum flexibility for all transport situations thanks to the proven L-BOXX system.

MM-EML (EX10)R C1 SR/BK - Label

0803974

https://www.phoenixcontact.com/us/products/0803974



Label, Roll, silver/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EML (EX10)R C1 WH/BK - Label

0803970

https://www.phoenixcontact.com/us/products/0803970



Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

MM-EML (EX12)R C1 SR/BK - Label

0803975

https://www.phoenixcontact.com/us/products/0803975



Label, Roll, silver/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EML (EX12)R C1 WH/BK - Label

0803971

https://www.phoenixcontact.com/us/products/0803971



Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

MM-EML (EX18)R C1 SR/BK - Label

0803976

https://www.phoenixcontact.com/us/products/0803976



Label, Roll, silver/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EML (EX18)R C1 WH/BK - Label

0803972

https://www.phoenixcontact.com/us/products/0803972



Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

MM-EML (EX24)R C1 SR/BK - Label

0803978

https://www.phoenixcontact.com/us/products/0803978



Label, Roll, silver/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EML (EX24)R C1 WH/BK - Label

0803973

https://www.phoenixcontact.com/us/products/0803973



Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

MM-EMLC (EX10)R C1 WH/BK - Fabric label

0803933

https://www.phoenixcontact.com/us/products/0803933



Fabric label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EMLC (EX12)R C1 WH/BK - Fabric label

0803934

https://www.phoenixcontact.com/us/products/0803934



Fabric label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

MM-EMLC (EX18)R C1 WH/BK - Fabric label

0803936

https://www.phoenixcontact.com/us/products/0803936



Fabric label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EMLF (EX10)R C1 BU/WH - Label, highly flexible

0803945

https://www.phoenixcontact.com/us/products/0803945



Label, highly flexible, Roll, blue/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

MM-EMLF (EX10)R C1 GN/WH - Label, highly flexible

0803950

https://www.phoenixcontact.com/us/products/0803950



Label, highly flexible, Roll, green/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EMLF (EX10)R C1 OG/BK - Label, highly flexible

0803955

https://www.phoenixcontact.com/us/products/0803955



Label, highly flexible, Roll, orange/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

MM-EMLF (EX10)R C1 RD/WH - Label, highly flexible

0803959

https://www.phoenixcontact.com/us/products/0803959



Label, highly flexible, Roll, red/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EMLF (EX10)R C1 WH/BK - Label, highly flexible

0803937

https://www.phoenixcontact.com/us/products/0803937



Label, highly flexible, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

MM-EMLF (EX10)R C1 YE/BK - Label, highly flexible

0803941

https://www.phoenixcontact.com/us/products/0803941



Label, highly flexible, Roll, yellow/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EMLF (EX12)R C1 BU/WH - Label, highly flexible

0803946

https://www.phoenixcontact.com/us/products/0803946



Label, highly flexible, Roll, blue/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

MM-EMLF (EX12)R C1 GN/WH - Label, highly flexible

0803952

https://www.phoenixcontact.com/us/products/0803952



Label, highly flexible, Roll, green/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EMLF (EX12)R C1 OG/BK - Label, highly flexible

0803956

https://www.phoenixcontact.com/us/products/0803956



Label, highly flexible, Roll, orange/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

MM-EMLF (EX12)R C1 RD/WH - Label, highly flexible

0803960

https://www.phoenixcontact.com/us/products/0803960



Label, highly flexible, Roll, red/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EMLF (EX12)R C1 WH/BK - Label, highly flexible

0803938

https://www.phoenixcontact.com/us/products/0803938



Label, highly flexible, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

MM-EMLF (EX12)R C1 YE/BK - Label, highly flexible

0803942

https://www.phoenixcontact.com/us/products/0803942



Label, highly flexible, Roll, yellow/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EMLF (EX18)R C1 BU/WH - Label, highly flexible

0803947

https://www.phoenixcontact.com/us/products/0803947



Label, highly flexible, Roll, blue/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

MM-EMLF (EX18)R C1 GN/WH - Label, highly flexible

0803953

https://www.phoenixcontact.com/us/products/0803953



Label, highly flexible, Roll, green/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EMLF (EX18)R C1 OG/BK - Label, highly flexible

0803957

https://www.phoenixcontact.com/us/products/0803957



Label, highly flexible, Roll, orange/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

MM-EMLF (EX18)R C1 RD/WH - Label, highly flexible

0803961

https://www.phoenixcontact.com/us/products/0803961



Label, highly flexible, Roll, red/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EMLF (EX18)R C1 WH/BK - Label, highly flexible

0803939

https://www.phoenixcontact.com/us/products/0803939



Label, highly flexible, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

MM-EMLF (EX18)R C1 YE/BK - Label, highly flexible

0803943

https://www.phoenixcontact.com/us/products/0803943



Label, highly flexible, Roll, yellow/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EMLF (EX24)R C1 BU/WH - Label, highly flexible

0803949

https://www.phoenixcontact.com/us/products/0803949



Label, highly flexible, Roll, blue/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

MM-EMLF (EX24)R C1 GN/WH - Label, highly flexible

0803954

https://www.phoenixcontact.com/us/products/0803954



Label, highly flexible, Roll, green/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EMLF (EX24)R C1 OG/BK - Label, highly flexible

0803958

https://www.phoenixcontact.com/us/products/0803958



Label, highly flexible, Roll, orange/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

MM-EMLF (EX24)R C1 RD/WH - Label, highly flexible

0803962

https://www.phoenixcontact.com/us/products/0803962



Label, highly flexible, Roll, red/white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EMLF (EX24)R C1 WH/BK - Label, highly flexible

0803940

https://www.phoenixcontact.com/us/products/0803940



Label, highly flexible, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 24 mm

MM-EMLF (EX24)R C1 YE/BK - Label, highly flexible

0803944

https://www.phoenixcontact.com/us/products/0803944



Label, highly flexible, Roll, yellow/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EMT (EX15)R C1 WH/BK - Insert label

0803966

https://www.phoenixcontact.com/us/products/0803966



Insert label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 13 mm, Number of individual labels: 1

MM-EMT (EX17)R C1 WH/BK - Insert label

0803967

https://www.phoenixcontact.com/us/products/0803967



Insert label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 15 mm, Number of individual labels: 1



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EMT (EX18)R C1 WH/BK - Insert label

0803968

https://www.phoenixcontact.com/us/products/0803968



Insert label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 16 mm, Number of individual labels: 1

MM-EMT (EX23)R C1 WH/BK - Insert label

0803969

https://www.phoenixcontact.com/us/products/0803969



Insert label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 21 mm, Number of individual labels: 1



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EMT (EX6)R C1 WH/BK - Insert label

0803963

https://www.phoenixcontact.com/us/products/0803963



Insert label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 4 mm, Number of individual labels: 1

MM-EMT (EX8)R C1 WH/BK - Insert label

0803965

https://www.phoenixcontact.com/us/products/0803965



Insert label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 6 mm, Number of individual labels: 1



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-TML (EX3,8)R C1 WH/BK - Label

1092026

https://www.phoenixcontact.com/us/products/1092026



Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 2.8 mm, Number of individual labels: 1

MM-TML (EX4,2)R C1 TR/BK - Label

0803979

https://www.phoenixcontact.com/us/products/0803979



Label, Roll, transparent/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 3.2 mm, Number of individual labels: 1



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-TML (EX9,5)R C1 TR/BK - Label

0803981

https://www.phoenixcontact.com/us/products/0803981



Label, Roll, transparent/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 7.5 mm, Number of individual labels: 1

MM-TMT (EX6,35)R C1 WH/BK - Label

0803982

https://www.phoenixcontact.com/us/products/0803982



Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 4.3 mm, Number of individual labels: 1



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-TMT (EX9,5)R C1 WH/BK - Label

0803983

https://www.phoenixcontact.com/us/products/0803983



Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 7.5 mm, Number of individual labels: 1

MM-WML 3 (EX10)R C1 WH/BK - Cable marker label

0803931

https://www.phoenixcontact.com/us/products/0803931



Cable marker label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, cable diameter range: 2 ... 3 mm, lettering field size: continuous x 8 mm, Number of individual labels: 1



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-WML 5 (EX10)R C1 WH/BK - Cable marker label

0803932

https://www.phoenixcontact.com/us/products/0803932



Cable marker label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, cable diameter range: 2 ... 5 mm, lettering field size: continuous x 8 mm, Number of individual labels: 1

MM-WMS 3,2 (EX5)R C1 WH/BK - Shrink sleeve

0803923

https://www.phoenixcontact.com/us/products/0803923



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 1 ... 3.2 mm, lettering field size: continuous x 3.1 mm, Number of individual labels: 1



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-WMS 4,8 (EX9)R C1 WH/BK - Shrink sleeve

0803924

https://www.phoenixcontact.com/us/products/0803924



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 1.6 ... 4.8 mm, lettering field size: continuous x 5.4 mm, Number of individual labels: 1

MM-WMS 6,4 (EX10)R C1 WH/BK - Shrink sleeve

0803925

https://www.phoenixcontact.com/us/products/0803925



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 2.1 ... 6.4 mm, lettering field size: continuous x 8.2 mm, Number of individual labels: 1



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-WMS 9,5 (EX16)R C1 WH/BK - Shrink sleeve

0803926

https://www.phoenixcontact.com/us/products/0803926



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 3.2 ... 9.5 mm, lettering field size: continuous x 12.8 mm, Number of individual labels: 1

MM-WMS-2 3,2 (EX5)R C1 WH/BK - Shrink sleeve

0803927

https://www.phoenixcontact.com/us/products/0803927



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 1.6 ... 3.2 mm, lettering field size: continuous x 3.7 mm, Number of individual labels: 1



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-WMS-2 4,8 (EX9)R C1 WH/BK - Shrink sleeve

0803928

https://www.phoenixcontact.com/us/products/0803928



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 2.4 ... 4.8 mm, lettering field size: continuous x 6.1 mm, Number of individual labels: 1

MM-WMS-2 6,4 (EX10)R C1 WH/BK - Shrink sleeve

0803929

https://www.phoenixcontact.com/us/products/0803929



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 3.2 ... 6.4 mm, lettering field size: continuous x 8.5 mm, Number of individual labels: 1



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-WMS-2 9,5 (EX16)R C1 WH/BK - Shrink sleeve

0803930

https://www.phoenixcontact.com/us/products/0803930



Shrink sleeve, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 4.8 ... 9.5 mm, lettering field size: continuous x 12.5 mm, Number of individual labels: 1

MM-EMT (EX4)R C1 WH/BK - Insert label

1169312

https://www.phoenixcontact.com/us/products/1169312



Insert label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 3 mm, Number of individual labels: 1



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EML (EX8)R C1 YE/BK - Label

1116050

https://www.phoenixcontact.com/us/products/1116050



Label, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, THERMOMARK GO.K, THERMOFOX, mounting type: adhesive, lettering field size: continuous x 6 mm

MM-EML (EX10)R C1 YE/BK - Label

1116052

https://www.phoenixcontact.com/us/products/1116052



Label, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, THERMOMARK GO.K, THERMOFOX, mounting type: adhesive, lettering field size: continuous x 8 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EML (EX12)R C1 YE/BK - Label

1118734

https://www.phoenixcontact.com/us/products/1118734



Label, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, THERMOMARK GO.K, THERMOFOX, mounting type: adhesive, lettering field size: continuous x 10 mm

MM-EML (EX14)R C1 WH/BK - Label

1116982

https://www.phoenixcontact.com/us/products/1116982



Label, Roll, white/black, unlabeled, can be labeled with: THERMOMARK GO, THERMOMARK GO.K, THERMOFOX, mounting type: adhesive, lettering field size: continuous x 12 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EML (EX14)R C1 TR/BK - Label

1116981

https://www.phoenixcontact.com/us/products/1116981



Label, Roll, transparent/black, unlabeled, can be labeled with: THERMOMARK GO, THERMOMARK GO.K, THERMOFOX, mounting type: adhesive, lettering field size: continuous x 12 mm

MM-EML (EX14)R C1 YE/BK - Label

1116983

https://www.phoenixcontact.com/us/products/1116983



Label, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, THERMOMARK GO.K, THERMOFOX, mounting type: adhesive, lettering field size: continuous x 12 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EML (EX14)R C1 SR/BK - Label

1116113

https://www.phoenixcontact.com/us/products/1116113



Label, Roll, silver/black, unlabeled, can be labeled with: THERMOMARK GO, THERMOMARK GO.K, THERMOFOX, mounting type: adhesive, lettering field size: continuous x 12 mm

MM-EML (EX18)R C1 YE/BK - Label

1116114

https://www.phoenixcontact.com/us/products/1116114



Label, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, THERMOMARK GO.K, THERMOFOX, mounting type: adhesive, lettering field size: continuous x 16 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EML (EX18)R C1 TR/BK - Label

1116130

https://www.phoenixcontact.com/us/products/1116130



Label, Roll, transparent/black, unlabeled, can be labeled with: THERMOMARK GO, THERMOMARK GO.K, THERMOFOX, mounting type: adhesive, lettering field size: continuous x 16 mm

MM-EML (EX24)R C1 YE/BK - Label

1116131

https://www.phoenixcontact.com/us/products/1116131



Label, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, THERMOMARK GO.K, THERMOFOX, mounting type: adhesive, lettering field size: continuous x 22 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EML (EX24)R C1 TR/BK - Label

1116133

https://www.phoenixcontact.com/us/products/1116133



Label, Roll, transparent/black, unlabeled, can be labeled with: THERMOMARK GO, THERMOMARK GO.K, THERMOFOX, mounting type: adhesive, lettering field size: continuous x 22 mm

MM-EMLC (EX14)R C1 WH/BK - Fabric label

1116134

https://www.phoenixcontact.com/us/products/1116134



Fabric label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 12 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EMLF (EX14)R C1 WH/BK - Label, highly flexible

1116135

https://www.phoenixcontact.com/us/products/1116135



Label, highly flexible, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 12 mm

MM-EMLF (EX14)R C1 YE/BK - Label, highly flexible

1116136

https://www.phoenixcontact.com/us/products/1116136



Label, highly flexible, Roll, yellow/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 12 mm



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-WML 3 (EX10)R C1 YE/BK - Cable marker label

1116137

https://www.phoenixcontact.com/us/products/1116137



Cable marker label, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, THERMOMARK GO.K, THERMOFOX, mounting type: adhesive, cable diameter range: 2 ... 3 mm, lettering field size: continuous x 8 mm, Number of individual labels: 1

MM-WML 5 (EX10)R C1 YE/BK - Cable marker label

1116138

https://www.phoenixcontact.com/us/products/1116138



Cable marker label, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, THERMOMARK GO.K, THERMOFOX, mounting type: adhesive, cable diameter range: 2 ... 5 mm, lettering field size: continuous x 8 mm, Number of individual labels: 1



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-WMS 3,2 (EX5)R C1 YE/BK - Shrink sleeve

1116139

https://www.phoenixcontact.com/us/products/1116139



Shrink sleeve, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, THERMOMARK GO.K, THERMOFOX, mounting type: slide-on, cable diameter range: 1 ... 3.2 mm, lettering field size: continuous x 3. 1 mm, Number of individual labels: 1

MM-WMS 4,8 (EX9)R C1 YE/BK - Shrink sleeve

1116140

https://www.phoenixcontact.com/us/products/1116140



Shrink sleeve, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, THERMOMARK GO.K, THERMOFOX, mounting type: slide-on, cable diameter range: 1.6 ... 4.8 mm, lettering field size: continuous x 5. 4 mm, Number of individual labels: 1



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-WMS 6,4 (EX10)R C1 YE/BK - Shrink sleeve

1116141

https://www.phoenixcontact.com/us/products/1116141



Shrink sleeve, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, THERMOMARK GO.K, THERMOFOX, mounting type: slide-on, cable diameter range: 2.1 ... 6.4 mm, lettering field size: continuous x 8. 2 mm, Number of individual labels: 1

MM-WMS 9,5 (EX16)R C1 YE/BK - Shrink sleeve

1116142

https://www.phoenixcontact.com/us/products/1116142



Shrink sleeve, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, THERMOMARK GO.K, THERMOFOX, mounting type: slide-on, cable diameter range: 3.2 ... 9.5 mm, lettering field size: continuous x 12.8 mm, Number of individual labels: 1



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-WMS-2 3,2 (EX5)R C1 YE/BK - Shrink sleeve

1116176

https://www.phoenixcontact.com/us/products/1116176



Shrink sleeve, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, THERMOFOX, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 1.6 ... 3.2 mm, lettering field size: continuous x 3. 7 mm, Number of individual labels: 1

MM-WMS-2 4,8 (EX9)R C1 YE/BK - Shrink sleeve

1116186

https://www.phoenixcontact.com/us/products/1116186



Shrink sleeve, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, THERMOFOX, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 2.4 ... 4.8 mm, lettering field size: continuous x 6. 1 mm, Number of individual labels: 1



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-WMS-2 6,4 (EX10)R C1 YE/BK - Shrink sleeve

1116187

https://www.phoenixcontact.com/us/products/1116187



Shrink sleeve, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, THERMOFOX, THERMOMARK GO.K: without print, mounting type: slide-on, cable diameter range: 3.2 ... 6.4 mm, lettering field size: continuous x 8.5 mm, Number of individual labels: 1

MM-WMS-2 9,5 (EX16)R C1 YE/BK - Shrink sleeve

1116189

https://www.phoenixcontact.com/us/products/1116189



Shrink sleeve, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, THERMOFOX, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 4.8 ... 9.5 mm, lettering field size: continuous x 12.5 mm, Number of individual labels: 1



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EML (15X6)R C1 YE/BK - Label

1116160

https://www.phoenixcontact.com/us/products/1116160



Label, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: adhesive, lettering field size: 15 x 6 mm, Number of individual labels: 321

MM-EML (15X9)R C1 YE/BK - Label

1116199

https://www.phoenixcontact.com/us/products/1116199



Label, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: adhesive, lettering field size: 15 x 9 mm, Number of individual labels: 285



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EML (16,5X5)R C1 WH/BK - Label

1116200

https://www.phoenixcontact.com/us/products/1116200



Label, Roll, white/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: adhesive, lettering field size: 16.6 x 5 mm, Number of individual labels: 335

MM-EML (16,5X5)R C1 YE/BK - Label

1116201

https://www.phoenixcontact.com/us/products/1116201



Label, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: adhesive, lettering field size: 16.6 x 5 mm, Number of individual labels: 335



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EML (17,5X8)R C1 YE/BK - Label

1116203

https://www.phoenixcontact.com/us/products/1116203



Label, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: adhesive, lettering field size: 17.5 x 8 mm, Number of individual labels: 297

MM-EML (20X8)R C1 WH/BK - Label

1116204

https://www.phoenixcontact.com/us/products/1116204



Label, Roll, white/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: adhesive, lettering field size: 20 x 8 mm, Number of individual labels: 297



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-EML (20X8)R C1 YE/BK - Label

1116205

https://www.phoenixcontact.com/us/products/1116205



Label, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: adhesive, lettering field size: 20 x 8 mm, Number of individual labels: 297

MM-WML 14 (24X19)R C1 WH/BK - Cable marker

1116146

https://www.phoenixcontact.com/us/products/1116146



Cable marker, Roll, white/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: adhesive, cable diameter range: 6 ... 14 mm, lettering field size: 22 x 19 mm, Number of individual labels: 93



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-WML 5 (24X10)R C1 WH/BK - Cable marker

1116196

https://www.phoenixcontact.com/us/products/1116196



Cable marker, Roll, white/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: adhesive, cable diameter range: 2 ... 5 mm, lettering field size: 22 x 9.5 mm, Number of individual labels: 235

MM-WML 6 (13X13)R C1 WH/BK - Cable marker

1116197

https://www.phoenixcontact.com/us/products/1116197



Cable marker, Roll, white/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: adhesive, cable diameter range: 4 ... 6 mm, lettering field size: 12.7 x 12.7 mm, Number of individual labels: 190



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-WML 7,5 (24X13)R C1 WH/BK - Cable marker

1116198

https://www.phoenixcontact.com/us/products/1116198



Cable marker, Roll, white/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: adhesive, cable diameter range: $4\dots7.5$ mm, lettering field size: 22×12.7 mm, Number of individual labels: 165

MM-WML-FLAG 6 (20X10)R C1 WH/BK - Cable marking flags

1116143

https://www.phoenixcontact.com/us/products/1116143



Cable marking flags, Roll, white/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: adhesive, cable diameter range: 1 ... 6 mm, lettering field size: 20 x 10 mm, Number of individual labels: 145



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-WML-FLAGV 6 (20X10)R C1 WH/BK - Cable marking flags

1116190

https://www.phoenixcontact.com/us/products/1116190



Cable marking flags, Roll, white/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: adhesive, cable diameter range: 1 ... 6 mm, lettering field size: 20 x 10 mm, Number of individual labels: 145

MM-WMT 2,4 (15X4)R C1 WH/BK - Cable marker

1116144

https://www.phoenixcontact.com/us/products/1116144



Cable marker, Roll, white/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: slide-on, cable diameter range: 1 ... 2.4 mm, lettering field size: 14.1 x 3.2 mm, Number of individual labels: 354



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-WMT 3,5 (15X5)R C1 WH/BK - Cable marker

1116191

https://www.phoenixcontact.com/us/products/1116191



Cable marker, Roll, white/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: slide-on, cable diameter range: 2 ... 3.5 mm, lettering field size: 14.2 x 4 mm, Number of individual labels: 338

MM-WMT 4,2 (15X6)R C1 WH/BK - Cable marker

1116192

https://www.phoenixcontact.com/us/products/1116192



Cable marker, Roll, white/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: slide-on, cable diameter range: 3 ... 4.2 mm, lettering field size: 14.2 x 5 mm, Number of individual labels: 324



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-WMT 5,5 (15X8)R C1 WH/BK - Cable marker

1116193

https://www.phoenixcontact.com/us/products/1116193



Cable marker, Roll, white/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: slide-on, cable diameter range: $4 \dots 5.5$ mm, lettering field size: 14×7 mm, Number of individual labels: 320

MM-WMT 8,4 (17X10)R C1 WH/BK - Cable marker

1116194

https://www.phoenixcontact.com/us/products/1116194



Cable marker, Roll, white/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: slide-on, cable diameter range: 5 ... 8.4 mm, lettering field size: 16 x 7.4 mm, Number of individual labels: 260



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-WMTB (24X8)R C1 WH/BK - Cable marker

1116145

https://www.phoenixcontact.com/us/products/1116145



Cable marker, Roll, white/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: Assembly with cable ties, cable diameter range: 6 ... 115 mm, lettering field size: 20 x 7 mm, Number of individual labels: 186

MM-WMTB HF (40X12)R C1 WH/BK - Cable marker

1116166

https://www.phoenixcontact.com/us/products/1116166



Cable marker, Roll, white/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: Assembly with cable ties, cable diameter range: $6\dots 115$ mm, lettering field size: 40×8.5 mm, Number of individual labels: 50



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-WMTB HF (40X12)R C1 YE/BK - Cable marker

1116206

https://www.phoenixcontact.com/us/products/1116206



Cable marker, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: Assembly with cable ties, cable diameter range: 6 ... 115 mm, lettering field size: 40 x 8.5 mm, Number of individual labels: 50

MM-WMTB HF (55X15)R C1 WH/BK - Cable marker

1116207

https://www.phoenixcontact.com/us/products/1116207



Cable marker, Roll, white/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: Assembly with cable ties, cable diameter range: $6 \dots 115$ mm, lettering field size: 55×13.4 mm, Number of individual labels: 20



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-WMTB HF (55X15)R C1 YE/BK - Cable marker

1116208

https://www.phoenixcontact.com/us/products/1116208



Cable marker, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: Assembly with cable ties, cable diameter range: 6 ... 115 mm, lettering field size: 55 x 13.4 mm, Number of individual labels: 20

MM-WMTB HF (55X25)R C1 WH/BK - Cable marker

1116209

https://www.phoenixcontact.com/us/products/1116209



Cable marker, Roll, white/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: Assembly with cable ties, cable diameter range: $6\dots 115$ mm, lettering field size: 55×22 mm, Number of individual labels: 20



1221548

https://www.phoenixcontact.com/us/products/1221548

MM-WMTB HF (55X25)R C1 YE/BK - Cable marker

1116210

https://www.phoenixcontact.com/us/products/1116210



Cable marker, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: Assembly with cable ties, cable diameter range: 6 ... 115 mm, lettering field size: 55 x 22 mm, Number of individual labels: 20

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com