

TM E.WRAP-PR - Pressure roller



1259200

<https://www.phoenixcontact.com/us/products/1259200>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Pressure roller for all E-WML... materials (material width of up to 60 mm/2.36")

Product description

The TM E.WRAP-PR pressure roller has a 60 mm/2.36" contact surface made from synthetic rubber for high-precision printing. The pressure roller is suitable for all E-WML... wire-wrap labels and is required for the operation of the THERMOMARK E.WRAP.

Your advantages

- The pressure roller is suitable for all E-WML... materials

Commercial data

Item number	1259200
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BG03
Product key	BGS12Y
GTIN	4063151367442
Weight per piece (including packing)	80.2 g
Weight per piece (excluding packing)	80.2 g
Customs tariff number	84439990
Country of origin	DE

TM E.WRAP-PR - Pressure roller

1259200

<https://www.phoenixcontact.com/us/products/1259200>



Technical data

Product properties

Product type

Printing system accessories

TM E.WRAP-PR - Pressure roller



1259200

<https://www.phoenixcontact.com/us/products/1259200>

Classifications

ECLASS

ECLASS-11.0	19140192
ECLASS-12.0	19140192
ECLASS-13.0	19140192

ETIM

ETIM 9.0	EC001675
----------	----------

TM E.WRAP-PR - Pressure roller



1259200

<https://www.phoenixcontact.com/us/products/1259200>

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com