

1287046

https://www.phoenixcontact.com/us/products/1287046

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Equipment set consisting of the E.WIRE applicator and the compatible THERMOMARK E.300 BASIC printing system for printing and applying movable E-WM... markers to wires and cables.

### Product description

When it comes to wire and cable marking, the THERMOMARK E.WIRE set elevates productivity to the next level. When combined, the THERMOMARK E.300 BASIC roll printer and the THERMOMARK E.WIRE applicator provide maximum efficiency in wire and cable identification processes. This provides you with an automated printing and applying system that enables you to achieve time savings of up to 70% compared to manual identification processes.

The movable markers are suitable for all types of cylindrical objects as well as twisted wires. Thanks to their triangular shape, they can be marked on all three sides. In this process, the THERMOMARK E.WIRE automatically measures the diameter of the cylindrical object, cuts the ready-printed E-WM... marking foil in continuous format to the appropriate length, places this around the cylindrical object, and then seals the marker shut with a hot-sealed joint.

This results in a captive marker that is optimally tailored to the diameter and can also move radially and axially. Thanks to this unique system, all diameters between 1.8 mm/0.07" and 5.6 mm/0.22" can be marked efficiently using just one type of material.

#### Scope of supply:

THERMOMARK E.WIRE (1203216), TM E.WIRE/E.SLEEVE-PR pressure roller (1259203), THERMOMARK E.300 BASIC, power cable (pin connector pattern: type B), USB cable, and multilingual packing slip.

#### Note:

The THERMOMARK E.300 (D) BASIC printing system is equipped for immediate use in combination with the respective applicator. It differs from the THERMOMARK E.300 (D) / E.600 (D) standard printer in that it has a reduced scope of supply. The TM E.300/E.600-FRONT COVER front cover (1285305), TM E.300/E.600-TEAR OFF PLATE tear-off plate (1263118), TRM-PRESSURE ROLLER STANDARD standard pressure roller (0804655), EML (20X8)R/TL label roll (0802999), and THERMOMARK-RIBBON 110/50 ink ribbon (0800687) are not included.

### Your advantages

- Maximum efficiency: time savings of up to 70% compared to manual printing and application processes
- · Consistently high level of efficiency over the entire working day through intuitive handling, which helps reduce costs
- Planning accuracy with regard to productivity and quality: in the case of order peaks, productivity can be increased significantly using the same number of employees
- Reduction in the number of user errors through intuitive step-by-step guidance along the entire identification process as well as automatic data processing from CAE systems and other popular file formats for data exchange
- The continuous format means that one material can cover all wire and cable diameters ranging from 1.8 mm ... 5.6 mm (0.07" ... 0.22"). It is therefore not necessary to change materials
- Easy and efficient handling, as the diameter of the cylindrical object is measured automatically and the size of the marker is optimally adjusted accordingly
- · Thanks to the three-sided printing and sliding action of the markers on the wires/cables, the marking is clearly visible once installed
- · Due to the triangular shape of the markers, different information can be printed on each of the three marking areas
- · The very strong heat-sealed joint ensures that the markers remain captive



1287046

https://www.phoenixcontact.com/us/products/1287046

- · The permanent identification of single-core wires, wires, cables, twisted cable bundles, and other cylindrical objects provides maximum flexibility
- Thanks to the intuitive operating concept and symmetrical structure, the applicator can be used ergonomically by both right- and left-handed users
- · Quick and easy mounting of the applicator on the roll printer via hexagon screw
- The applicator is connected via the D-SUB interface on the roll printer and is detected automatically by the software

### Commercial data

Item number	1287046
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BG01
Product key	BG1222
GTIN	4063151512194
Weight per piece (including packing)	14,931 g
Weight per piece (excluding packing)	12,940 g
Customs tariff number	84433210
Country of origin	DE



1287046

https://www.phoenixcontact.com/us/products/1287046

### Set consists of

### THERMOMARK E.WIRE - Applicator

1203216

https://www.phoenixcontact.com/us/products/1203216



Applicator for the efficient printing and application of movable E-WM... markers on wires and cables in a single automated process step

## THERMOMARK E.300 US - Thermal transfer printer

1287021

https://www.phoenixcontact.com/us/products/1287021



Thermal transfer printer for printing all materials in roll format with a print resolution of 300 dpi. Suitable for long-term use in production and for large print volumes, as large rolls can also be processed.



1287046

https://www.phoenixcontact.com/us/products/1287046

### TM E.WIRE/E.SLEEVE-PR - Pressure roller

1259203

https://www.phoenixcontact.com/us/products/1259203



Pressure roller for all E-WM... and E-WMS... materials (for material width of up to 30 mm/1.18")



1287046

https://www.phoenixcontact.com/us/products/1287046

## Technical data

## Product properties

Product type	Printing system			
Marking				
Marking procedure	Thermal transfer for rolls			
Device properties				
Print resolution	300 dpi			
Interfaces				
Interface	10/100 Mbps Ethernet, USB 2.0, RS-232			
Dimensions				
Width	252 mm			
Height	288 mm			



1287046

https://www.phoenixcontact.com/us/products/1287046

## Classifications

### **ECLASS**

ECLASS-11.0	19140104
ECLASS-12.0	19140104
ECLASS-13.0	19140104

## **ETIM**

ETIM 9.0	EC001684



1287046

https://www.phoenixcontact.com/us/products/1287046

### Accessories

### THERMOMARK E.CUTTER - Cutter

1234241

https://www.phoenixcontact.com/us/products/1234241



Cutter for marking materials in continuous format for cutting custom lengths

### THERMOMARK E.CUTTER/P - Cutter

1201336

https://www.phoenixcontact.com/us/products/1201336



Perforation cutter for all shrink sleeve and marking sleeve versions in continuous format for cutting custom lengths



1287046

https://www.phoenixcontact.com/us/products/1287046

### TM-RIBBON 30 BK 103 - Ink ribbon

1309076

https://www.phoenixcontact.com/us/products/1309076



Ink ribbon, for the E-WM... product group in combination with the THERMOMARK E.WIRE applicator, length: 300 m, roll length: 300 m, width: 30 mm, color: black

### TRM-PRESSURE ROLLER STANDARD - Pressure roller

0804655

https://www.phoenixcontact.com/us/products/0804655



Standard pressure roller



1287046

https://www.phoenixcontact.com/us/products/1287046

### TRM-PRESSURE ROLLER 4-50 - Pressure roller

0804656

https://www.phoenixcontact.com/us/products/0804656



Pressure roller for continuous shrink sleeve

### TM E.WIRE/E.SLEEVE-PR - Pressure roller

1259203

https://www.phoenixcontact.com/us/products/1259203



Pressure roller for all E-WM... and E-WMS... materials (for material width of up to 30 mm/1.18")



1287046

https://www.phoenixcontact.com/us/products/1287046

## TM E.300/E.600-TEAR OFF PLATE - Demolition plate

1263118

https://www.phoenixcontact.com/us/products/1263118

Tear-off plate for all roll printers in the THERMOMARK E SERIES



### TM E.300/E.600-FRONT COVER - Front plate

1285305

https://www.phoenixcontact.com/us/products/1285305

Front panel for all roll printers in the THERMOMARK E SERIES





1287046

https://www.phoenixcontact.com/us/products/1287046

### THERMOMARK E SERIES CASE - Case

1450747

https://www.phoenixcontact.com/us/products/1450747



Transport case for the E.SLEEVE, E.VARIO, E.WIRE, and E.WRAP applicators of the THERMOMARK E SERIES and their accessories.

### E.300/E.600-CARDBOARD BOX - Original packaging

1453444

https://www.phoenixcontact.com/us/products/1453444



Original packaging including inlay for safe transportation of the THERMOMARK E.300 (D)/E.600 (D) printers



1287046

https://www.phoenixcontact.com/us/products/1287046

## TM E.WIRE-CARDBOARD BOX - Original packaging

1371339

https://www.phoenixcontact.com/us/products/1371339



Original packaging incl. inlay for safe transportation of the THERMOMARK E. WIRE

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com