

1287056

https://www.phoenixcontact.com/us/products/1287056

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Device set consisting of the E.WRAP applicator and the compatible THERMOMARK E.300 D BASIC printing system for printing and applying the E-WML... wire-wrap labels on wires and cables.

Product description

The THERMOMARK E.WRAP set is taking productivity in wire and cable marking to the next level. The combination of the THERMOMARK E.300 BASIC roll printer and the THERMOMARK E.WRAP applicator offers maximum efficiency for wire and cable identification processes. This provides you with an automated printing and application system that enables you to achieve time savings of up to 60% compared to manual identification processes.

The THERMOMARK E.WRAP automatically applies wire-wrap labels to cylindrical objects, while also ensuring a consistently high level of quality. This is essential in the case of wire-wrap labels, as they have an additional protective laminate to protect the printed surface. The end result is an extremely resilient identification solution that can even be used outdoors, for example. To make handling as easy as possible, the device features an adjustable scale, ensuring that the marking is always attached at the desired distance from the cable end. This efficient system enables the automated identification of all objects that have a diameter of between 2 mm/0.08" and 16 mm/0.63".

Scope of supply:

THERMOMARK E.WRAP (1203216), TM E.WRAP-PR pressure roller (1259200), THERMOMARK E.300 BASIC, power cable (pin connector pattern: type B), USB cable, and multilingual packing slip.

Note

The THERMOMARK E.300 (D) BASIC printing system is equipped for immediate use in combination with the corresponding applicator. Unlike with the THERMOMARK E.300 (D)/E.600 (D) standard printer, the following items are not included in the delivery: TM E.300/E.600-FRONT COVER (1285305), TM E.300/E.600-TEAR OFF PLATE (1263118), TRM-PRESSURE ROLLER STANDARD (0804655), EML (20X8)R/TL (0802999) label roll, and THERMOMARK-RIBBON 110/50 ink ribbon (0800687).

Your advantages

- · Maximum efficiency: time savings of up to 60% compared to manual printing and applying processes
- Consistently high level of efficiency over the entire working day through intuitive handling, which helps reduce costs
- Planning accuracy with regard to productivity and quality: in the case of order peaks, productivity can be increased significantly using the same number of employees
- Reduction in the number of user errors through intuitive step-by-step guidance along the entire identification process as well as automatic data processing from CAE systems and other popular file formats for data exchange
- The comprehensive material portfolio means that all wire and cable diameters ranging from 2 mm/0.08" ... 16 mm/0.63" can be covered
- · Consistently high application quality: positive influence on the resistance and durability of the marking
- · Easy handling: positioning of the marker can be defined by orientation to the scale
- · For indoor and outdoor applications: applied markers are highly resistant due to the protective laminate
- · For cylindrical objects, wires, and cables
- · Quick and easy mounting of the applicator on the roll printer via hexagon screw
- The applicator is connected via the D-SUB interface on the roll printer and is detected automatically by the software



1287056

https://www.phoenixcontact.com/us/products/1287056

Commercial data

Item number	1287056
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BG01
Product key	BG1222
GTIN	4063151511883
Weight per piece (including packing)	16,120 g
Weight per piece (excluding packing)	14,130 g
Customs tariff number	84433210
Country of origin	DE



1287056

https://www.phoenixcontact.com/us/products/1287056

Set consists of

THERMOMARK E.WRAP - Applicator

1192931

https://www.phoenixcontact.com/us/products/1192931



Applicator for the efficient printing and applying of E-WML... wire-wrap labels on wires and cables in a single automated process step

THERMOMARK E.300 D US - Thermal transfer printer

1287033

https://www.phoenixcontact.com/us/products/1287033



Thermal transfer printer with internal rewinder for printing all materials in roll format with a print resolution of 300 dpi. Suitable for long-term use in production and for large print volumes, as large rolls can also be processed.



1287056

https://www.phoenixcontact.com/us/products/1287056

TM E.WRAP-PR - Pressure roller

1259200

https://www.phoenixcontact.com/us/products/1259200



Pressure roller for all E-WML... materials (material width of up to 60 mm/2.36")

TM E.300/E.600-DISPENSING EDGE/L - Dispensing edge

1263116

https://www.phoenixcontact.com/us/products/1263116



Dispensing edge for processing all E-WML... materials when using the THERMOMARK E.WRAP



1287056

https://www.phoenixcontact.com/us/products/1287056

Ambient temperature (operation)

Technical data

Product properties

Product type	Printing system
Marking	
Marking procedure	Thermal transfer for rolls
Device properties	
Print resolution	300 dpi
terfaces	
Interface	10/100 Mbps Ethernet, USB 2.0, RS-232
imensions	
	252 mm
Width	202 11111

15 °C ... 35 °C



1287056

https://www.phoenixcontact.com/us/products/1287056

Classifications

ECLASS

ECLASS-11.0	19140104
ECLASS-12.0	19140104
ECLASS-13.0	19140104

ETIM

ETIM 8.0	EC001672	



1287056

https://www.phoenixcontact.com/us/products/1287056

Accessories

THERMOMARK E.CUTTER - Cutter

1234241

https://www.phoenixcontact.com/us/products/1234241



Cutter for marking materials in continuous format for cutting custom lengths

THERMOMARK E.CUTTER/P - Cutter

1201336

https://www.phoenixcontact.com/us/products/1201336



Perforation cutter for all shrink sleeve and marking sleeve versions in continuous format for cutting custom lengths



1287056

https://www.phoenixcontact.com/us/products/1287056

TM-RIBBON 64 BK 103 - Ink ribbon

1255598

https://www.phoenixcontact.com/us/products/1255598



Ink ribbon, For the E-WML... product group in combination with the THERMOMARK E.WRAP applicator, length: 0.3 m, roll length: 300 m, width: 64 mm, color: black

TRM-PRESSURE ROLLER STANDARD - Pressure roller

0804655

https://www.phoenixcontact.com/us/products/0804655



Standard pressure roller



1287056

https://www.phoenixcontact.com/us/products/1287056

TRM-PRESSURE ROLLER 4-50 - Pressure roller

0804656

https://www.phoenixcontact.com/us/products/0804656



Pressure roller for continuous shrink sleeve

TM E.WRAP-PR - Pressure roller

1259200

https://www.phoenixcontact.com/us/products/1259200



Pressure roller for all E-WML... materials (material width of up to 60 mm/2.36")



1287056

https://www.phoenixcontact.com/us/products/1287056

TM E.300/E.600-TEAR OFF PLATE - Demolition plate

1263118

https://www.phoenixcontact.com/us/products/1263118

Tear-off plate for all roll printers in the THERMOMARK E SERIES



TM E.300/E.600-FRONT COVER - Front plate

1285305

https://www.phoenixcontact.com/us/products/1285305

Front panel for all roll printers in the THERMOMARK E SERIES





1287056

https://www.phoenixcontact.com/us/products/1287056

THERMOMARK E SERIES CASE - Case

1450747

https://www.phoenixcontact.com/us/products/1450747



Transport case for the E.SLEEVE, E.VARIO, E.WIRE, and E.WRAP applicators of the THERMOMARK E SERIES and their accessories.

TM E.WRAP-CARDBOARD BOX - Original packaging

1371340

https://www.phoenixcontact.com/us/products/1371340



Original packaging incl. inlay for safe transportation of the THERMOMARK E. WRAP

Phoenix Contact 2023 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com