

1298077

https://www.phoenixcontact.com/pc/products/1298077

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Connectors for energy storage, Connector, housing material: PA, color: black, rated current: 350 A

Commercial Data

Item number	1298077
Packing unit	15 pc
Minimum order quantity	1 pc
Product Key	ABLDBA
GTIN	4063151535872
Weight per Piece (including packing)	106.547 g
Weight per Piece (excluding packing)	98 g
Customs tariff number	85359000
Country of origin	CN



1298077

https://www.phoenixcontact.com/pc/products/1298077

Technical Data

Product properties

Product type	Connectors for energy storage
Insulation characteristics	
Degree of pollution	2

Electrical properties

Rated voltage (III/2)	1500 V DC
Rated current	350 A
	350 A
	350 A
Contact resistance	≤ 0.5 mΩ
Nominal voltage U _N	1500 V DC

Material specifications

Color	black
Flammability rating according to UL 94	V0
Seal material	Silicon
Insulating material	PA
Contact material	Cu/Cu alloy
Contact surface material	Ni/Ag
Housing material	PA

Cable/line

Halogen-free ye	yes
-----------------	-----

Mechanical properties

Mechanical data

Insertion/withdrawal cycles	100
Insertion force	≤ 75 N

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP65 (The panel is feed-through hole)
	IP65/IP67 (The panel is blind hole)
Ambient temperature (operation)	-40 °C 125 °C
Ambient temperature (storage/transport)	-40 °C 80 °C
Altitude	4000 m

Mounting

Assembly instructions	We recommend to use the crimping dies and other crimping
	devices of Jiangsu Bozhiwang Automation Equipment Co.,Ltd.



1298077

https://www.phoenixcontact.com/pc/products/1298077

for cable crimp connection; Address: No. 39 Kun Lun Road, Xin
Bei District, Changzhou, Jiangsu Province, China, Email:
flacz2020@163.com, die model: BZW-6F



1298077

https://www.phoenixcontact.com/pc/products/1298077

Classifications

ECLASS

ECLASS-11.0	27440390
ECLASS-12.0	27440390
ECLASS-13.0	27440390

Phoenix Contact 2023 @ - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstraße 8 D-32825 Blomberg +49 (0) 5235-3 00 info@phoenixcontact.com