

1430491

https://www.phoenixcontact.com/us/products/1430491

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Sealing cap, Alternative product in accordance with RoHS II without Exemption 6c (Pb <0.1%) item no.: 1239603



Commercial data

Item number	1430491
Packing unit	1 pc
Minimum order quantity	10 pc
Sales key	AB28
Product key	ABQZAB
Catalog page	Page 55 (C-2-2019)
GTIN	4046356325783
Weight per piece (including packing)	13.56 g
Weight per piece (excluding packing)	13.41 g
Customs tariff number	74198090
Country of origin	DE



1430491

https://www.phoenixcontact.com/us/products/1430491

Technical data

Notes

	General	Use up to max. 48 V AC and 60 V DC		
Product properties				
	Product type	Protective cap		
	Thread type	M12		
Material specifications				
	Material	CuZn/Ni		
	Seal material	NBR		

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP65
	IP67
	IP69K
Ambient temperature (operation)	-40 °C 85 °C




https://www.phoenixcontact.com/us/products/1430491



Drawings

Dimensional drawing



Dimensional drawing



1430491

https://www.phoenixcontact.com/us/products/1430491

Classifications

UNSPSC 21.0

ECLASS

ECLASS-11.0	27440208			
ECLASS-12.0	27440208			
ECLASS-13.0	27440208			
ETIM				
ETIM 9.0	EC002314			
UNSPSC				

39121400



1430491

https://www.phoenixcontact.com/us/products/1430491

Environmental product compliance

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com