

HC-B 16-LB - Housing brackets

1584664

<https://www.phoenixcontact.com/us/products/1584664>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Replacement plastic single locking latch for standard housings of type B16

Commercial data

Item number	1584664
Packing unit	1 pc
Minimum order quantity	10 pc
Note	Made to order (non-returnable)
Sales key	BF66
Product key	BF7AAZ
Catalog page	Page 570 (C-4-2013)
GTIN	4046356146463
Weight per piece (including packing)	21.9 g
Weight per piece (excluding packing)	21.9 g
Customs tariff number	85389099
Country of origin	DE

HC-B 16-LB - Housing brackets



1584664

<https://www.phoenixcontact.com/us/products/1584664>

Technical data

Product properties

Type	B16
Product type	Housing latches

Material specifications

Material	High-grade steel / plastic
Locking latch material	Stainless steel, handle: PA

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C ... 125 °C
---------------------------------	-------------------

Mounting

Assembly instructions	Not for HC-B....EMC housings
-----------------------	------------------------------


HC-B 16-LB - Housing brackets

1584664


<https://www.phoenixcontact.com/us/products/1584664>



Drawings



Dimensional drawing



HC-B 16-LB - Housing brackets

1584664

<https://www.phoenixcontact.com/us/products/1584664>



Classifications

UNSPSC

UNSPSC 21.0	39121421
-------------	----------

HC-B 16-LB - Housing brackets



1584664

<https://www.phoenixcontact.com/us/products/1584664>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com