

QUINT-BAT/24DC/ 3.4AH

Order No.: 2866349



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2866349>

Battery module, 24 V DC, 3.4 Ah

Commercial data

EAN	4017918959746
Pack	1 pcs.
Customs tariff	85072098
Weight/Piece	4.9916 KG
Catalog page information	Page 494 (IF-2007)

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

Input data

Nominal input voltage	24 V DC
-----------------------	---------

Output data

Nominal output voltage	24 V DC
Output current	Max. 25 A
Connection in parallel	Yes, for increasing the buffer period
Connection in series	No
Output fuse	25 A

General data

Width	112 mm
-------	--------

Height	145 mm
Depth	123 mm
Weight	3.5 kg
Memory medium	battery 3.4 Ah
Degree of protection	IP20
Class of protection	III
Ambient temperature (operation)	0 °C ... 40 °C
Ambient temperature (storage/transport)	0 °C ... 40 °C

Certificates / Approvals




Certification ABS, GL

Accessories

Item	Designation	Description
2866857	QUINT-ADAPTER/4	Assembly adapter for QUINT-BAT/24DC... on 35mm rail

Drawings

Block diagram



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2009 Phoenix Contact
Technical modifications reserved;