

Faster – better – everywhere.





SZ 2566.300 Plastic Cable Gland Plates

CLIMATE CONTROL

IT INFRASTRUCTURE SOFTWARE & SERVICES

State: 9/22/2023 (Source: rittal.com/us-en)

POWER DISTRIBUTION



FRIEDHELM LOH GROUP

ENCLOSURES

SZ 2566.300 - Plastic Cable Gland Plates with diaphragms, for AX

Simply pierce the plastic with a sharp object, and pull through the cable.

Features

Model No.	SZ 2566.300
Product description	Just pierce the plastic with a sharp point and pull the cable through
Material	Plastic to UL 94-V0
Color	Similar to RAL 7035
Note	The assignment of the flange plate size can be found on the respective housings
Dimensions	Width: 401 mm Depth: 221 mm Width: 15.8 ″ Depth: 8.7 ″
Suitable for	Enclosure type: AX
Gland plate	Size: 6
Protection category IP to EN 60 529	IP 66 if correctly installed
Type rating according to UL 50E	Туре 1, 12
Quantity of cable entries and Ø (mm) minmax.	30 x 5-11 50 x 10-15 8 x 15-25 2 x 19-34 2 x 26-35 2 x 26-54 1 x 50-110
Packaging unit	1 pc(s).
Weight/packaging unit	0.742 kg 1.6 lb.

Features

Customs tariff number	39269097
EAN	4028177935709
ETIM 7.0	EC000211
ECLASS 8.0	27142421

Approvals

Approvals

GOST UL + C-UL - FTTA