


# Rittal – The System.

Faster – better – everywhere.



## SK 3301.380 Vertical shielding

State: 4/28/2023 (Source: [rittal.com/us-en](http://rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SK 3301.380 - Vertical shielding for TS IT

To block the airflow to the left and right of the 19" level, for enclosure height 2000 mm.

## Features

Model No.	SK 3301.380
Version	Self-adhesive on one side
Product description	To block the airflow on the left and right of the 19" level, for enclosure height 2000 mm.
Material	Cellular PU foam Flame-inhibiting to UL 94 (HF1)
Color	Anthracite
For sealing between	Side panel and 482.6 mm (19") level
Dimensions	Width: 84 mm Height: 1,910 mm Depth: 84 mm Width: 3.31 " Height: 75.2 " Depth: 3.31 "
Suitable for	Width: 600 mm Width: 23.6 "
Packaging unit	1 pc(s).
Weight/packaging unit	0.502 kg 1.1 lb.
Copper weight (kg per piece)	0
Customs tariff number	39269097
EAN	4028177507975
ETIM 7.0	EC002620
ECLASS 8.0	27189261

# Approvals

---

Approvals	GOST
-----------	------

---

Certificates	EAC
--------------	-----