Rittal – The System.

Faster – better – everywhere.





VX 4166.500 Captive nuts

State: 31/12/2024 (Source: rittal.com/com-en)



VX 4166.500 - Captive nuts for VX

For all-round metric mounting on the enclosure section.



Features

Model No.	VX 4166.500
Benefits	For all-round mounting on the enclosure section
	The compression spring, designed as an insertion aid, ensures
	reliable mechanical and electrical connection in the system
	punchings
	Simply slides in from the side
	Safely and easily released with a screwdriver
Installation options	On the horizontal and vertical VX enclosure section
	On punched sections with mounting flanges, 23 x 64 mm
	On punched sections with mounting flanges, 23 x 89 mm, stainless steel
	On punched section without mounting flange, 23 x 64 mm
	On enclosures and rails with rectangular system punching 12.5 x 11
	mm
	In VX SE, on the enclosure section in conjunction with VX adaptor rail
	In the VX SE base frame
Dimensions	Thread: M5
To fit enclosure type	VX
Thread	M5
Packs of	20 pc(s).
Net weight	0.16

© Rittal 2024 2

Features

Gross weight	0.173
Customs tariff number	73181692
EAN	4028177942240
ETIM 9	EC002358
ETIM 8	EC002358
ECLASS 8.0	23110815

© Rittal 2024 3