


Rittal – The System.

Faster – better – everywhere.



CP 6106.500 Pedestal, open

State: 9/22/2023 (Source: rittal.com/us-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP

CP 6106.500 - Pedestal, open

Open pedestal for retrospective cable entry with pre-assembled connectors.



Features

Model No.	CP 6106.500
Product description	The welded alternative to the pedestal, complete. For retrospective cable entry with pre-assembled connectors.
Material	Steel
Surface finish	Spray-finished
Color	RAL 7035
Width base plate	400 mm 15.7 "
Height base plate	10 mm 0.39 "
Depth base plate	400 mm 15.7 "
Material thickness pedestal	3 mm 0.12 "
Pedestal tube cross-section depth	73 mm 2.87 "
Pedestal tube cross-section width	86 mm 3.39 "
Load capacity, static	40 kg 88.2 lb.

Features

Dimensions	Height: 1,095 mm Height: 43.1 "
------------	------------------------------------

Packaging unit	1 pc(s).
----------------	----------

Weight/packaging unit	24 kg 52.9 lb.
-----------------------	-------------------

Customs tariff number	73269098
-----------------------	----------

EAN	4028177698468
-----	---------------

ETIM 7.0	EC002534
----------	----------

ECLASS 8.0	27182604
------------	----------

Approvals

Approvals	GOST
-----------	------