

Rittal – The System.

Faster – better – everywhere.



TS 8800.560 Installation kit

State: 9/22/2023 (Source: rittal.com/us-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



TS 8800.560 - Installation kit For component shelves with 19" adapter profiles in TS

With 19" fittings in TS, installed between the front and rear adaptor profiles or adaptor pieces, 482.6 mm (19") in 600 mm wide enclosures.



Features

Model No.	TS 8800.560
Product description	Installed between the front and rear adaptor profiles or adaptor pieces, 482.6 mm (19") in 600 mm wide enclosures.
Material	Carbon steel
Surface finish	Zinc-plated
Supply includes	Assembly components
Note	Max. depth of component shelves = Enclosure depth - 100 mm.
Suitable for	Enclosure type: TS Depth: 600 mm Enclosure type: TS Depth: 23.6 "
Installation dimensions	Installation depth for components: 482.6 mm Installation width for components: 19" Installation depth for components: 19 " Installation width for components: 19"
Packaging unit	1 pc(s).
Weight/packaging unit	0.837 kg 1.8 lb.

Features

Customs tariff number	73269098
EAN	4028177213197
ETIM 7.0	EC002620
ECLASS 8.0	27189261

Approvals

Approvals	GOST
Certificates	EAC