


Faster – better – everywhere.





# GA 9116.210 Cast aluminum housing GA

POWER DISTRIBUTION >> CLIMATE CONTROL

State: 9/22/2023 (Source: rittal.com/us-en)



IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

ENCLOSURES

### GA 9116.210 - Cast aluminum housing GA

Spray-finished cast aluminum housing. Protection category IP 66.



#### Features

Model No.	GA 9116.210
Material	Housing: Cast aluminum
	Cover: cast aluminum, all-round CR foam rubber round core seal
Surface finish	Textured paint
Color	RAL 7001
Supply includes	Housing with cover
	Cover screws, captive
	Screws for attaching support rails
	Screw for connection of the PE conductor
Protection category NEMA	NEMA 4
Protection category IP to EN 60 529	IP 66
IK code	IK08
Dimensions	Width: 202 mm
	Height: 232 mm
	Depth: 113 mm
	Width: 7.95 ″
	Height: 9.13 "
	Depth: 4.45 "
Base material	Cast aluminum
Packaging unit	1 pc(s).

#### Features

Weight/packaging unit	3.06 kg 6.7 lb.
Customs tariff number	84879090
EAN	4028177145467
ETIM 7.0	EC000261
ECLASS 8.0	27180101

## Approvals

Approvals	GOST
Explanations	Declaration of conformity Declaration of conformity UK