

Faster – better – everywhere.





WM 9975.052 Deep Hinged Window Kits

POWER DISTRIBUTION >> CLIMATE CONTROL

State: 8/16/2024 (Source: rittal.com/us-en)



IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

ENCLOSURES

WM 9975.052 - Deep Hinged Window Kits Carbon steel

The Deep-Hinged Window Kit (WKDH) is used as a viewing window where access to components mounted behind the window is required. Material carbon steel.

Features

Model No.	WM 9975.052	
Product description	The Deep-Hinged Window Kit (WKDH) is used as a viewing window where access to components mounted behind the window is required. It is designed to protect HMI displays and components mounted on enclosure panels from wash-down, rain, snow, sleet, dirt and dust. WKDH fits on the usable area of Rittal's standard wall- mount, free-standing TS8/SE8 and other enclosure panels. Window depth allows for use of extra deep pushbuttons (~2"/50mm). It comes with a full-size drill template for easy mounting.	
Material	Frame: Carbon steel Viewing window: Polycarbonate	
Surface finish	Dipcoat-primed and powder-coated, textured paint	
Color	RAL 7035	
Supply includes	Oil resistant gasket Fasteners	
Visible area	Viewing window width: 225mm Viewing window height: 200mm Viewing window width: 8.86 ″ Viewing window height: 7.87 ″	
Viewing window height	200 mm 7.87 ″	
Dimensions	Width: 400 mm Height: 300 mm Depth: 70 mm Width: 15.7 ″ Height: 11.8 ″ Depth: 2.76 ″	
Packaging unit	1 pc(s).	

Features

Customs tariff number	7326908688	
UPC-Code	87545	
Approvals		

Approvals

UL + C-UL (listed)