SQUARE D



Switch, manual, 30A, 3 pole, 10 HP at 575 VAC, three phase, toggle operated, no indicator, NEMA 4, one conduit opening

2510KW2

Product availability: Stock - Normally stocked in distribution

facility

Price*: 405.65 USD

Main

| Product | Single Unit Manual Switch |
|---------|---------------------------|
| Туре | K |

Complementary

| Current Rating | 30 A |
|------------------------|--|
| Cable Entry | 0.75 NPT (bottom) |
| Horsepower Rating | 2 hp 115 V AC 1 hp 90 V DC 2 hp 115 V DC 1.5 hp 230 V DC 7.5 hp 230 V AC 10 hp 460 V AC 10 hp 575 V AC |
| Maximum Voltage Rating | 600 V AC 230 V DC |
| Number Of Poles | 3P |
| Control Unit Type | Toggle |
| Number Of Phases | 3 phase |
| Pilot Light | No indicator |
| Starter Type | Non reversing |
| Electrical Connection | Screw clamp terminals |
| Wire Gauge | AWG 14AWG 10 copper |
| Height | 4.38 in (111.25 mm) |
| Width | 3 in (76.20 mm) |
| Depth | 4.25 in (107.95 mm) |

Environment

| Certifications | UL listed file E42243 CCN NLRV CSA LR25490 class 3211 05 |
|-----------------------|---|
| Nema Enclosure Rating | NEMA 4 die cast zinc alloy standard size |

Ordering and shipping details

| Category | 21102-2510,2511,2512 K |
|-------------------|------------------------|
| Discount Schedule | CP1 |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| Gtin | 785901077053 |
|-------------------|--------------|
| Returnability | Yes |
| Country Of Origin | MX |

Packing Units

| Unit Type Of Package 1 | PCE |
|------------------------------|----------------------------|
| Number Of Units In Package 1 | 1 |
| Package 1 Height | 3.70 in (9.398 cm) |
| Package 1 Width | 4.80 in (12.192 cm) |
| Package 1 Length | 5.40 in (13.716 cm) |
| Package 1 Weight | 2.95 lb(US) (1.338 kg) |
| Unit Type Of Package 2 | PAL |
| Number Of Units In Package 2 | 336 |
| Package 2 Height | 40.00 in (101.6 cm) |
| Package 2 Width | 40.00 in (101.6 cm) |
| Package 2 Length | 48.00 in (121.92 cm) |
| Package 2 Weight | 998.00 lb(US) (452.685 kg) |

Contractual warranty

Warranty 18 months

Dec 29, 2023

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >


Guide to assess a product's sustainability >

Well-being performance



Pvc Free

| Reach Regulation | REACh Declaration |
|---------------------------|---|
| Eu Rohs Directive | Not compliant |
| China Rohs Regulation | China RoHS declaration Product out of China RoHS scope. Substance declaration for your information. |
| California Proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |



NOTE: The lamp is polarity sensitive in DC applications.