

Product data sheet

Specifications

SQUARE D



Contactor, Type L, multipole lighting, mechanically held, 30A, 2 pole, 600 V, 277 VAC 60 Hz coil, open style

8903LXO20V04

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 590.00 USD

Main

| | |
|---------------------------|--------------------------------------|
| Product or Component Type | Mechanically Held Lighting Contactor |
| Range of Product | 8903LX |
| Control Circuit | Separate control circuit |

Complementary

| | |
|-----------------------|-----------------------------------|
| Control Voltage | 277 V AC 60 Hz |
| Inrush power in VA | 150 VA 60 Hz 25 VA 50/60 Hz |
| Current Rating | 20 A tungsten 30 A fluorescent |
| Number of Poles | 2P 2 NO |
| Control Unit | No control units |
| Pilot Light | No indicator |
| Other Options | None |
| Electrical Connection | Screw-clamp terminals |
| Height | 8.8 in (224 mm) |
| Depth | 3.3 in (83 mm) |
| Width | 2.9 in (73 mm) |

Environment

| | |
|------------------------|-------------------------|
| Enclosure Type | Not rated (open device) |
| Product Certifications | UL Listed CSA |

Ordering and shipping details

| | |
|-------------------|--------------|
| Category | US10CP121322 |
| Discount Schedule | 0CP1 |
| GTIN | 785901057246 |
| Returnability | Yes |
| Country of origin | MX |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Packing Units

| | |
|------------------------------|-------------------------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 4.50 in (11.43 cm) |
| Package 1 Width | 7.20 in (18.288 cm) |
| Package 1 Length | 10.50 in (26.67 cm) |
| Package 1 Weight | 4.539 lb(US) (2.059 kg) |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[How we assess product sustainability >](#)



Transparency

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

✓ Halogen Content Performance Halogen free plastic parts product

✓ Pvc Free [Yes](#)

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive [Compliant](#)
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)
Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile No need of specific recycling operations

California Proposition 65 [WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov](#)