Specifications

SQUARE 🗩



Contactor, Type L, multipole lighting, mechanically held, 30A, 8 pole, 600V, 110/120VAC 50/60Hz coil, open style

8903LXO80V02

Product availability: Stock - Normally stocked in distribution facility

Price*: 1,173.00 USD

Main

Mann	
Product or Component Type	Mechanically Held Lighting Contactor
Range of Product	8903LX
Control Circuit	Separate control circuit

Complementary

Complementar	<u>y</u>
Control Voltage	110 V AC 50 Hz
	120 V AC 60 Hz
Inrush power in VA	180 VA 60 Hz
	170 VA 50 Hz
	25 VA 50/60 Hz
Current Rating	20 A tungsten
	30 A fluorescent
Number of Poles	8P 8 NO
Control Unit	No control units
Pilot Light	No indicator
Other Options	None
Electrical Connection	Screw-clamp terminals
Height	8.8 in (224 mm)
Depth	3.3 in (83 mm)
Width	5.6 in (143 mm)

Environment

Enclosure Type	Not rated (open device)
Product Certifications	UL Listed CSA

Ordering and shipping details

Category	US10CP121322
Discount Schedule	0CP1
GTIN	785901057406
Returnability	Yes
Country of origin	MX

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.50 in (11.430 cm)
Package 1 Width	7.40 in (18.796 cm)
Package 1 Length	10.50 in (26.670 cm)
Package 1 Weight	5.300 lb(US) (2.404 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	90
Package 2 Height	40.00 in (101.600 cm)
Package 2 Width	40.00 in (101.600 cm)
Package 2 Length	48.00 in (121.920 cm)
Package 2 Weight	486.0006 lb(US) (220.446 kg)

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

How we assess product sustainability >



Transparency

Well-being performance

Reach Free Of Svhc Toxic Heavy Metal Free Mercury Free **Rohs Exemption Information** Yes Halogen free plastic parts product Halogen Content Performance Yes Pvc Free **Reach Regulation REACh Declaration Eu Rohs Directive** Compliant EU RoHS Declaration **China Rohs Regulation** China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope) **Environmental Disclosure** Product Environmental Profile **Circularity Profile** No need of specific recycling operations **California Proposition 65** WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov