

# Product data sheet

Specifications



## PUSHBUTTON +OPTIONS

9001AL1

Product availability: Stock - Normally stocked in distribution facility

**Price\*: 121.50 USD**

### Main

|                           |               |
|---------------------------|---------------|
| Range of Product          | Harmony 9001K |
| Product or Component Type | Pilot light   |
| Device short name         | K             |

### Complementary

|                              |                          |
|------------------------------|--------------------------|
| Bezel material               | Metal                    |
| Mounting diameter            | 1.2 in (30 mm)           |
| Shape of signaling unit head | Round                    |
| Cap/operator or lens colour  | Green<br>Red             |
| Bulb base                    | BA 9s                    |
| Shape of screw head          | Cross slotted            |
| Device presentation          | Complete product         |
| Lens type                    | Domed                    |
| [Us] rated supply voltage    | 110...120 V              |
| Light block supply           | Via integral transformer |
| Supply frequency             | 50...60 Hz               |
| Lens material                | Polycarbonate            |
| Size                         | 30 mm                    |

### Environment

|                                       |   |
|---------------------------------------|---|
| Standards                             | CSA C22.2 No 14<br>IEC 60947-5-4<br>IEC 60947-1<br>UL 508<br>IEC 60947-5-1<br>JIS C 852<br>JIS C8201-5-1<br>JIS C8201-1 |
| Product Certifications                | UL 508<br>NEMA  |
| Protective treatment                  | TC  |
| Ambient Air Temperature for Storage   | -40...158 °F (-40...70 °C)  |
| Ambient Air Temperature for Operation | -13...158 °F (-25...70 °C)  |
| Overvoltage category                  | Class II IEC 61140  |
| NEMA degree of protection             | NEMA 1/2/3/3R/4/6/12/13   |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

## Ordering and shipping details

|                   |              |
|-------------------|--------------|
| Category          | US1IPOP22750 |
| Discount Schedule | IPOP         |
| GTIN              | 785901851899 |
| Returnability     | Yes          |
| Country of origin | MX           |

## Packing Units

|                              |                          |
|------------------------------|--------------------------|
| Unit Type of Package 1       | PCE                      |
| Number of Units in Package 1 | 1                        |
| Package 1 Height             | 2.00 in (5.080 cm)       |
| Package 1 Width              | 5.30 in (13.462 cm)      |
| Package 1 Length             | 5.00 in (12.700 cm)      |
| Package 1 Weight             | 9.600 oz (272.155 g)     |
| Unit Type of Package 2       | CAR                      |
| Number of Units in Package 2 | 20                       |
| Package 2 Height             | 11.50 in (29.210 cm)     |
| Package 2 Width              | 11.70 in (29.718 cm)     |
| Package 2 Length             | 15.70 in (39.878 cm)     |
| Package 2 Weight             | 13.900 lb(US) (6.305 kg) |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

# Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[How this information helps you >](#)


## Use Better

### Materials and Substances

|                                      |  |
|--------------------------------------|--|
| Packaging without single use plastic | No   |
| EU RoHS Directive                    | Pro-active compliance (Product out of EU RoHS legal scope)   |
| SCIP Number                          | Ae0c4eb9-0bfb-40a4-851f-5c619fbe777d   |
| REACH Regulation                     | <a href="#">REACH Declaration</a>  |
| China RoHS Regulation                | <a href="#">China RoHS declaration</a>   |
| California proposition 65            | WARNING: Cancer and Reproductive Harm - <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |

## Use Again

### Repack and remanufacture

|           |   |
|-----------|---|
| WEEE      |  <p>The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.</p> |
| Take-back | No  |