


Product availability : Non-Stock - Not normally stocked in distribution facility



Price* : 269.30 USD



Main

Range of product	Replacement Relay
Product destination	Starter
Thermal overload type	Melting alloy

Complementary

NEMA size	3
Phase	3 phase
Number of thermal units required	3
Mounting support	Mounting plate
[Ue] rated operational voltage	600 V AC
Maximum Height	5.59 in (142 mm)
Maximum Width	5.31 in (134.9 mm)
Maximum Depth	5.74 in (145.8 mm)

Ordering and shipping details

Category	21661 - 9065 A,C,F,G,S(NOT SS)
Discount Schedule	CP1
GTIN	00785901788539
Nbr. of units in pkg.	1
Package weight(Lbs)	2.73 lb(US) (1.24 kg)
Returnability	No
Country of origin	MX

* Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Oct 5, 2020

Packing Units

Package 1 Height	6.30 in (16.002 cm)
Package 1 width	6.60 in (16.764 cm)
Package 1 Length	8.60 in (21.844 cm)

Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds which is known to the State of California to cause Carcinogen & Reproductive harm. For more information go to www.p65warnings.ca.gov
EU RoHS Directive	Not compliant
China RoHS Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.

Contractual warranty

Warranty	18 months
----------	-----------