



Industrial control transformer, Type TF, 1 phase, 300VA, 240/416/480/600V primary, 99/120/130V secondary, 50/60Hz

9070TF300D50

Product availability: Non-Stock - Not normally stocked in distribution facility

Price\*: 811.00 USD

### Main

Product or Component Type	Industrial Control Transformer
Туре	TF

# Complementary

Number of Phases	1 phase	
Power Rating	300 VA UL	
	300 VA CSA	
	300 VA NOM	
	200 VA CE	
Primary to Secondary Voltage	240/416/480/600 V 99/120/130 V	
	230/400/460/575 V 95/115/125 V	
	220/380/440/550 V 90/110/120 V	
	208/360/416/520 V 85/100/110 V	
Fuse type	0.41 x 1.50 in CC top	
Temperature rise	80 °C	
Electrical Connection	Screw clamp terminals	
Height	5.14 in (130.56 mm)	
Width	4.5 in (114.3 mm)	
Depth	5.49 in (139.45 mm)	
Material	Copper: winding	
ngersafe Cover Compatibility FSC23		

### **Environment**

Product Certifications	CSA file LR37055 guide 184-N-90 UL listed file E61239
Enclosure Type	Not rated (open device)
Insulation temperature	266 °F (130 °C)

## Ordering and shipping details

Category	US10CP816207	
Discount Schedule	0CP8	
GTIN	3606486995853	
Returnability	No	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Country of origin US

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.00 in (15.24 cm)
Package 1 Width	7.50 in (19.05 cm)
Package 1 Length	6.50 in (16.51 cm)
Package 1 Weight	11.901 lb(US) (5.398 kg)

# **Contractual warranty**

Warranty 18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

How we assess product sustainability >





Transparency RoHS/REACh

### Well-being performance

	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes
<b>②</b>	Pvc Free	

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration  Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations
California Proposition 65	WARNING: This product can expose you to chemicals including: Phenyl glycidyl ether, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov