

Product data sheet

Specifications

SQUARE D

Green Premium™



Safety switch, heavy duty, fusible, 100A, 600V, 3 poles, 75hp, NEMA 4, 4X, 5, 304 steel, Crouse-Hinds receptacle

CH363DSWC

Product availability: Stock - Normally stocked in distribution facility

Price*: 8,309.00 USD

Main

Range	Square D
Product	Receptacle Switch
For Use With	Wiring connection APJ10487 Crouse-Hinds Arktite
Current Rating	100 A
Enclosure Rating	NEMA 3/3R/4/4X/5/12 stainless steel 304
Horsepower Rating	60 hp at 480 V AC 50-60 Hz for 3 phase motors 75 hp at 600 V AC 50-60 Hz for 3 phase motors
Disconnect Type	Fusible disconnect
Short Circuit Current Rating	10 kA 200 kA
Mounting Type	Surface
Number Of Poles	3
Phase	3 phase
Electrical Connection	Receptacle
Certifications	CSA
Voltage Rating	600 V AC/DC
Wire Configuration	4-wire
Wire Size	AWG 12...AWG 1/0 aluminium AWG 14...AWG 1/0 copper

Complementary

Tightening Torque	50 lbf.in (5.65 N.m) (AWG 3...AWG 1) 45 lbf.in (5.08 N.m) (AWG 6...AWG 4) 40 lbf.in (4.52 N.m) (AWG 8) 35 lbf.in (3.95 N.m) 0.00...0.01 in ² (2.06...5.21 mm ²) (AWG 14...AWG 10)
Width	11.25 in (285.75 mm)
Height	20.82 in (528.83 mm)
Depth	6.97 in (177.04 mm)

Ordering and shipping details

Category	00153-C,CH&CHU CANADA SW NON-NEG
Discount Schedule	DE1
Gtin	785901220633

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Returnability	Yes
----------------------	-----

Country Of Origin	US
--------------------------	----

Packing Units

Unit Type Of Package 1	PCE
-------------------------------	-----

Number Of Units In Package 1	1
-------------------------------------	---

Package 1 Height	6.97 in (17.704 cm)
-------------------------	---------------------

Package 1 Width	20.82 in (52.883 cm)
------------------------	----------------------

Package 1 Length	11.25 in (28.575 cm)
-------------------------	----------------------

Package 1 Weight	0.16 oz (4.536 g)
-------------------------	-------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Mercury Free

Rohs Exemption Information Yes

Pvc Free

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information.

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile No need of specific recycling operations

California Proposition 65 WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov