



# Grounding kit, Heavy Duty safety switch, 30A, Type 92,000

DT30SG

Product availability: Non-Stock - Not normally stocked in distribution facility

Price\*: 66.15 USD

#### Main

Range of Product	Square D
Product or Component Type	Safety switch grounding bar
Series name	Heavy duty

#### Complementary

Line Rated Current	30 A 92000
AWG gauge	AWG 14AWG 4 copper or aluminium
Tightening torque	20 lbf.in (2.3 N.m) (AWG 14AWG 10) 20 lbf.in (2.3 N.m) (AWG 12AWG 10) 25 lbf.in (2.8 N.m) (AWG 8) 35 lbf.in (4.0 N.m) (AWG 6AWG 4)

#### Ordering and shipping details

Category	US10DE100058	
Discount Schedule	0DE1	
GTIN	785901483045	
Returnability	No	
Country of origin	US	

#### **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.40 in (1.016 cm)
Package 1 Width	3.10 in (7.874 cm)
Package 1 Length	5.50 in (13.970 cm)
Package 1 Weight	0.800 oz (22.680 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	3.80 in (9.652 cm)
Package 2 Width	6.20 in (15.748 cm)
Package 2 Length	7.10 in (18.034 cm)
Package 2 Weight	11.360 oz (322.050 g)
Unit Type of Package 3	PAL

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Number of Units in Package 3	4560
Package 3 Height	40.00 in (101.600 cm)
Package 3 Width	36.00 in (91.440 cm)
Package 3 Length	48.00 in (121.920 cm)
Package 3 Weight	323.760 lb(US) (146.855 kg)

## **Contractual warranty**

Warranty 18 months

### **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

How we assess product sustainability >



Transparency

#### Well-being performance

	Reach Free Of Svhc	
<b>Ø</b>	Toxic Heavy Metal Free	
	Mercury Free	
	Rohs Exemption Information	Yes
E., 8		
cu K	ohs Directive	Compliant  EU RoHS Declaration
	ons Directive	·
Chin		EU RoHS Declaration  China RoHS declaration