





Load center, Homeline, 1 phase, 30 spaces, 60 circuits, 200A convertible main breaker, PoN, NEMA1, combo cover

HOM3060M200PC

Product availability: Stock - Normally stocked in distribution facility

Price\*: 861.84 USD

#### Main

Product Type	Load Center	
Marketing Trade Name	Homeline	
Load Center Type	PoN Convertible Mains (breaker)	
Rated Current	200 A	
Number of Spaces	30	
Maximum Number of Single Pole Circuits	60	
Enclosure Rating	NEMA 1 indoor enclosure	
Cover Type	Combination flush/surface cover	
Electrical Connection	Lugs	
Provided Equipment	Circuit-breaker 1) 2P 200 A 120/240 V AC main supply ready assembled	

### Complementary

Max Short Circuit Current Rating	22 kA	
Maximum Number of Tandem Breakers	30	
Number of Phases	1 phase 3 wires	
Voltage Rating	120/240 V AC	
Wire Size	AWG 4250 kcmil aluminium/copper	
Ground Bar	Grounding bar (ordered separately)	
Busbar Material	Tin plated aluminium: busbar	
Enclosure Material	Welded sheet steel	
Surface Finish	Baked enamel Gray	
Box Number	10	
Bus Rated Current 225.0 A		
Height	33.8 in (858 mm)	
Width	14.3 in (362 mm)	
Depth	3.7 in (95 mm)	

#### **Environment**

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Ambient Air Temperature for Operation	23.0000000000 °F (-5 °C) 104.0000000000 °F (40 °C)
Product Certifications	UL listed file E-6294

# Ordering and shipping details

Category	US1DE3C00045
Discount Schedule	DE3C
GTIN	785901977759
Returnability	Yes
Country of origin	US

## **Packing Units**

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	5.700 in (14.478 cm)	
Package 1 Width	16.200 in (41.148 cm)	
Package 1 Length	36.500 in (92.710 cm)	
Package 1 Weight	31.621 lb(US) (14.343 kg)	
Unit Type of Package 2	PAL	
Number of Units in Package 2	18	
Package 2 Height	40.000000000 in (101.600 cm)	
Package 2 Width	42.000000000 in (106.680 cm)	
Package 2 Length 48.0000000000 in (121.920 cm)		
Package 2 Weight	589.999 lb(US) (267.619 kg)	



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance


	Toxic Heavy Metal Free	
	Mercury Free	
<b>②</b>	Rohs Exemption Information	Yes

#### **Certifications & Standards**

REACh Declaration
Compliant
EU RoHS Declaration
China RoHS declaration
Pro-active China RoHS declaration (out of China RoHS legal scope)
Product Environmental Profile
No need of specific recycling operations
"WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov"

#### **Technical Illustration**

#### **Dimensions**



## **Product data sheet**

### HOM3060M200PC

**Technical Illustration** 

#### Wiring diagram




Image of product / Alternate images

#### **Alternative**





