

Product data sheet

Specifications



Front protection cover, for TeSys Giga electronic overload relay LR9G115-225

LA9G3704

Product availability: Stock - Normally stocked in distribution facility

Price*: 9.00 USD

Main

Range of Product	TeSys G
Range	TeSys
Device short name	LA9G
Product or Component Type	Plate
Range Compatibility	TeSys G
Product Compatibility	LR9G115...225
Poles description	3P

Complementary

Height	0.8 in (20 mm)
Width	1.4 in (35 mm)
Depth	4.3 in (110 mm)
Net Weight	0.2 lb(US) (0.1 kg)
Quantity per Set	Set of 1

Environment

IP degree of protection	IP20 conforming to IEC 60529
Ambient Air Temperature for Operation	-13...140 °F (-25...60 °C)
Ambient Air Temperature for Storage	-76...176 °F (-60...80 °C)
Pollution degree	3 IEC 60947-1
Operating altitude	9842.52 ft (3000 m) without derating 5000 m with derating factor
Standards	EN/IEC 60947-4-1 UL 60947-4-1 CSA C22.2 No 60947-4-1 GB/T 14048.4

Ordering and shipping details

Category	US101222328
Discount Schedule	0112
GTIN	3606481952646
Returnability	Yes

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Country of origin	CN
-------------------	----

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
------------------------------	---

Package 1 Height	2.20 in (5.6 cm)
------------------	------------------

Package 1 Width	2.20 in (5.6 cm)
-----------------	------------------

Package 1 Length	7.72 in (19.6 cm)
------------------	-------------------

Package 1 Weight	1.8 oz (51.0 g)
------------------	-----------------

Unit Type of Package 2	S02
------------------------	-----

Number of Units in Package 2	10
------------------------------	----

Package 2 Height	5.91 in (15.0 cm)
------------------	-------------------

Package 2 Width	11.81 in (30.0 cm)
-----------------	--------------------

Package 2 Length	15.75 in (40.0 cm)
------------------	--------------------

Package 2 Weight	32.5 oz (921.0 g)
------------------	-------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[How we assess product sustainability >](#)



Transparency

Well-being performance

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

✓ Halogen Content Performance Halogen free plastic parts product

✓ Pvc Free [Yes](#)

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)

California Proposition 65 WARNING: This product can expose you to chemicals including: Nickel (Metallic), which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Scip Number 958748fb-37b2-4e37-985e-0763521c22ab