

Product availability : Stock - Normally stocked in distribution facility



Price\* : 783.00 USD



### Main

Range	PowerLogic
Product or component type	Remote display
Device application	Human-machine dialogue application
Range compatibility	PowerLogic PM5000
Display type	Backlit LCD

### Complementary

Display colour	Monochrome
Display resolution	128 x 128 pixels
Display size	67 x 62.5 mm
Information displayed	Power Energy consumption Harmonic distortion Frequency Voltage Current
Messages display capacity	6 lines Graphic objects ( bargraph, button, light...)
Local signalling	Communication LED Green) Programming indication LED amber)
Control type	4 x push-button
Connector type	RJ45
Mounting mode	Flush-mounted
Mounting support	Framework remote display
Maximum Width	3.78 in (96 mm)
Maximum Height	3.78 in (96 mm)
Embedding depth	0.83 in (21 mm)

\* Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Projecting depth	1.06 in (27 mm)
------------------	-----------------

## Environment

IP degree of protection	IP52 IEC 60529
Relative humidity	5...95 % 99 °F (37 °C)
Operating altitude	0...9842.52 ft (0...3000 m)
Ambient air temperature for operation	-13...158 °F (-25...70 °C)
Ambient air temperature for storage	-40...185 °F (-40...85 °C)

## Ordering and shipping details

Category	09778 - POWERLOGIC PM5000 ACCESSORIES
Discount Schedule	PL1
GTIN	00785901632955
Returnability	Yes
Country of origin	IN

## Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: Cancer and Reproductive Harm - <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
REACH Regulation	<a href="#">REACH Declaration</a>
REACH free of SVHC	Yes
EU RoHS Directive	Compliant <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS declaration</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	<a href="#">End of Life Information</a>
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.