Product data sheet

Specifications





Set of 2 lifting eyes M8. Maximum load: 200kg

NSYAELYTCRG8

Product availability: Stock - Normally stocked in distribution facility

Price*: 27.44 USD

Main

Bereich	Spacial
Kategorie	Lifting accessory
Product Or Component Type	Lifting eye
Anwendung	Multi-purpose
Mounting Location	Enclosure top
Range Compatibility	Spacial Spacial CRN Spacial Spacial S3D
Device Composition	2 eyebolt 2 bracket 2 washer 2 nut fixing elements
Quantity Per Set	Set of 1

Complementary

Material	Eyebolt moulded steel Bracket galvanised steel
Surface Finish	Zinc coated
Fixing Mode	Screwed
Permanent Permissible Load	440.92 lb(US) (200 kg) slinging at 60°
Height	2.17 in (55 mm)
Width	4.72 in (120 mm)
Depth	1.18 in (30 mm)
Diameter	1.14 in (29 mm)
Iso Thread	M8
Net Weight	0.53 lb(US) (0.24 kg)

Ordering and shipping details

Category	80036-ENCLOSURE SYSTEMS ACCESSORIES
Discount Schedule	ES1
Gtin	3606480168727
Returnability	Yes
Country Of Origin	FR

Packing Units

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.50 in (3.81 cm)
Package 1 Width	4.00 in (10.16 cm)
Package 1 Length	5.00 in (12.7 cm)
Package 1 Weight	0.60 lb(US) (0.27 kg)
Unit Type Of Package 2	CAR
Number Of Units In Package 2	40
Package 2 Height	8.27 in (21 cm)
Package 2 Width	15.94 in (40.5 cm)
Package 2 Length	11.81 in (30 cm)
Package 2 Weight	24.43 lb(US) (11.082 kg)
Unit Type Of Package 3	P12
Number Of Units In Package 3	640
Package 3 Height	17.72 in (45 cm)
Package 3 Width	31.50 in (80 cm)
Package 3 Length	47.24 in (120 cm)
Package 3 Weight	390.90 lb(US) (177.31 kg)

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations