

Product data sheet

Specifications



Symmetrical DIN rail, H35xD7.5 mm Length: 140 mm, for boxes of 150 mm (Internal)

NSYAMRD16357TB

Product availability: Stock - Normally stocked in distribution facility

Price*: 4.41 USD

Main

Range	Thalassa
Accessory / Separate Part Category	Installation accessory
Product Or Component Type	Rail
Device Application	Multi-purpose
For Enclosure Nominal Dimensions	-
Quantity Per Package	Set of 10

Complementary

Type Of Rail	Symmetrical DIN
Range Compatibility	Thalassa Thalassa TBS Thalassa Thalassa TBP
Device Composition	1 rail
Material	steel
Surface Finish	Zinc coated
Length	Real 5.51 in (140 mm) Internal box height or width 5.91 in (150 mm)
Height	1.38 in (35 mm)
Width	0.30 in (7.5 mm)
Thickness	0.04 in (1 mm)
Net Weight	0.11 lb(US) (0.048 kg)

Ordering and shipping details

Category	80036-ENCLOSURE SYSTEMS ACCESSORIES
Discount Schedule	ES1
Gtin	3606480166235
Returnability	No
Country Of Origin	FR

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.31 in (0.8 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Width	1.57 in (4 cm)
------------------------	----------------

Package 1 Length	5.71 in (14.5 cm)
-------------------------	-------------------

Package 1 Weight	1.73 oz (49 g)
-------------------------	----------------

Contractual warranty

Warranty	18 months
-----------------	-----------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

No need of specific recycling operations