



Main

Range	Thalassa
Accessory / separate part category	Mounting accessory
Product or Component Type	19" & nbsp; rack
Application	Multi-purpose
For enclosure nominal dimensions	-
Rack type	Fixed
Mounting Location	Front of enclosure
Range compatibility	Thalassa Thalassa PLA Thalassa Thalassa PHD
Device composition	Fixing elements 2 19" uprights
Quantity per Set	Set of 1
Number of units 19"	26

Complementary

Material	Sheet steel
Surface Finish	Epoxy-polyester powder
Lock type	Lock 5 mm double bar
Fixing Mode	By fixing element
Color	Gray RAL 7035)
Permanent permissible load	6.6 lb(US) (3 kg) per unit
Height	Nominal: 59.06 in (1500 mm)
Thickness	0.08 in (2 mm)

Ordering and shipping details

Category	US10ES180034
Discount Schedule	0ES1
GTIN	3606485405520
Returnability	No
Country of origin	ES

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.3 in (11.0 cm)
Package 1 Width	48.8 in (124.0 cm)
Package 1 Length	4.3 in (11.0 cm)
Package 1 Weight	13.104 lb(US) (5.944 kg)

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations